



US00D713708S

(12) **United States Design Patent**  
**Hicks**

(10) **Patent No.:** **US D713,708 S**

(45) **Date of Patent:** **\*\* Sep. 23, 2014**

(54) **RESCUE TOOL**

(76) Inventor: **Timothy Mark Hicks**, Luxembourg  
(LU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/417,967**

(22) Filed: **Apr. 11, 2012**

(30) **Foreign Application Priority Data**

Oct. 11, 2011 (WO) ..... DM/077 181

(51) **LOC (10) CL.** ..... **08-03**

(52) **U.S. CL.**  
USPC ..... **D8/98**; D8/105

(58) **Field of Classification Search**  
USPC ..... D8/14, 47, 87, 98, 102-103, 105, 107;  
D19/35, 36; 7/100, 143-145, 158;  
30/308.1; 81/177.1, 177.7, 436-440,  
81/489

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D33,792	S	*	12/1900	Adkins	.....	D8/47
1,503,323	A	*	7/1924	Heasley	.....	7/144
D121,308	S	*	7/1940	Semski	.....	D8/81
D138,875	S	*	9/1944	Weiss	.....	D8/98
D139,475	S	*	11/1944	Laughlin	.....	D8/80
2,613,745	A	*	10/1952	Wimberly et al.	.....	30/363
2,848,809	A	*	8/1958	Crowder	.....	30/164.9
D203,134	S	*	12/1965	Lowe	.....	D8/81
3,706,106	A	*	12/1972	Leopoldi	.....	7/158
4,456,255	A	*	6/1984	Braunhut	.....	463/47.7
D290,334	S	*	6/1987	Reynolds, Jr.	.....	D8/105
5,630,242	A	*	5/1997	Oginaezawa	.....	7/144
5,638,566	A	*	6/1997	Wu	.....	7/167
D385,771	S	*	11/1997	Chiang	.....	D8/105
D397,147	S	*	8/1998	Mackenzie	.....	D19/36

D410,029	S	*	5/1999	Melnick	.....	D19/36
D413,781	S	*	9/1999	Wong	.....	D8/81
D416,652	S	*	11/1999	Martin	.....	D30/156
D417,130	S	*	11/1999	Hollinger	.....	D8/81
D436,126	S	*	1/2001	Rosenbaum	.....	D19/36
D450,086	S	*	11/2001	Rosenbaum	.....	D19/36
6,453,564	B1	*	9/2002	Foley	.....	30/359
6,467,114	B1	*	10/2002	Sigl	.....	7/144
D472,444	S	*	4/2003	Gesheit	.....	D8/81
6,574,816	B2	*	6/2003	Yu Chen	.....	7/100
D476,874	S	*	7/2003	Kim	.....	D8/81
D498,401	S	*	11/2004	Lin et al.	.....	D8/81
6,846,123	B1	*	1/2005	Bedford	.....	401/195
D515,902	S	*	2/2006	Kim	.....	D8/105
D520,840	S	*	5/2006	Bhavnani	.....	D8/81

(Continued)

*Primary Examiner* — Philip S Hyder  
*Assistant Examiner* — Roselynn Cody  
(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP


(57) **CLAIM**

I claim, the ornamental design for a rescue tool, as shown and described.

**DESCRIPTION**

FIG. 1 is a top plan view of a rescue tool, showing my new design;  
FIG. 2 is an elevation view of a first side thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is an elevation view of a second side thereof;  
FIG. 5 is an elevation view of a third side thereof, opposite from that shown in FIG. 2;  
FIG. 6 is an elevation view of a fourth side thereof, opposite from that shown in FIG. 4;  
FIG. 7 is a perspective view thereof; and,  
FIG. 8 is an exploded perspective view thereof.  
The broken lines showing in FIG. 8 are directed to a feature of the tool that forms no part of the claim.

**1 Claim, 4 Drawing Sheets**




(56)

**References Cited**


U.S. PATENT DOCUMENTS

7,181,798 B2 *	2/2007	Hayhurst	7/144	D642,444 S *	8/2011	Kommer	D8/105
D577,931 S *	10/2008	Thompson	D6/495	D645,718 S *	9/2011	Crystal et al.	D8/98
D579,301 S *	10/2008	Jones	D8/105	8,191,192 B1 *	6/2012	Barker	7/160
D595,105 S *	6/2009	White	D8/105	2004/0250352 A1 *	12/2004	Yeh	7/160
				2005/0138737 A1 *	6/2005	Klein	7/160
				2007/0261174 A1 *	11/2007	Barker	7/160


\* cited by examiner




**FIG. 1**



**FIG. 2**



**FIG. 3**



**FIG. 4**




FIG. 5




FIG. 6




FIG. 7

FIG. 8

