



US00D713861S

(12) **United States Design Patent**
Langlais et al.

(10) **Patent No.:** **US D713,861 S**

(45) **Date of Patent:** **** Sep. 23, 2014**

(54) **IMPELLER FOR A ROTARY INJECTOR**

(71) Applicant: **Rio Tinto Alcan International Limited,**
Montreal (CA)

(72) Inventors: **Joseph Langlais,** Saguenay (CA); **Peter Donald Waite,** Saguenay (CA); **Francis Breton,** Saguenay (CA); **Serge Munger,** Saguenay (CA); **Martin Beaulieu,** Verdun (CA)

(73) Assignee: **Rio Tinto Alcan International Limited,**
Montreal (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/468,307**

(22) Filed: **Sep. 27, 2013**

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/28, 7, 138, 9; 266/225, 235, 217;
75/558, 528; 261/87

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,579,355	A *	4/1926	Greenawalt	261/93
1,583,591	A *	5/1926	Greenawalt	261/87
3,227,547	A *	1/1966	Szekely	75/558
D233,320	S *	10/1974	Svenson	D15/28
4,283,357	A	8/1981	Sidery	
D268,112	S *	3/1983	Sugiura	D15/7
4,456,424	A	6/1984	Araoka	
4,802,656	A	2/1989	Hudault et al.	
5,078,454	A *	1/1992	Rollinson	301/44.1
5,080,715	A	1/1992	Provencher et al.	
D325,209	S *	4/1992	Rollinson	D15/28
5,143,357	A	9/1992	Gilbert et al.	

5,314,525	A *	5/1994	Eckert et al.	75/583
D355,253	S *	2/1995	Jansen et al.	D23/411
5,458,816	A	10/1995	Ebner et al.	
5,586,863	A *	12/1996	Gilbert et al.	415/200
5,597,289	A *	1/1997	Thut	415/200
6,019,576	A *	2/2000	Thut	415/200
6,394,430	B1 *	5/2002	Forschner et al.	261/87
6,589,313	B2	7/2003	Bilodeau et al.	
6,689,310	B1 *	2/2004	Cooper	266/235
6,723,276	B1 *	4/2004	Cooper	266/235
6,960,239	B2	11/2005	Bilodeau et al.	
D518,831	S *	4/2006	Bowsher	D15/29

(Continued)

FOREIGN PATENT DOCUMENTS

CA	2133154	3/1995
CA	2251230	7/2002
FR	2604107 A1	3/1988

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Norton Rose Fulbright
Canada LLP; Alexandre Daoust

(57) **CLAIM**

The ornamental design for an impeller for a rotary injector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view, taken from above, of the impeller for a rotary injector showing our new design;

FIG. 2 is another perspective view, taken from below;

FIG. 3 is a top plan view thereof;


FIG. 4 is a front elevation view thereof, the rear elevation view being identical to the front view;

FIG. 5 is a left side elevation view thereof, the right side elevation view being identical to the left side view; and,

FIG. 6 is a bottom plan view thereof.

The dashed line showing of structural lines is included for the purpose of illustrating non-claimed subject matter and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D713,861 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D617,815 S *	6/2010	Tarui et al.	D15/7	8,409,495 B2 *	4/2013	Cooper	266/239
D631,065 S *	1/2011	Burgess et al.	D15/9	D681,704 S *	5/2013	Stoyanov	D15/138
7,997,788 B2 *	8/2011	Bell et al.	366/164.3	8,444,911 B2 *	5/2013	Cooper	266/235
				8,535,603 B2 *	9/2013	Cooper	266/235
				2004/0021257 A1 *	2/2004	Bertherat et al.	266/216

* cited by examiner




FIG. 1




FIG. 2




Fig. 3




FIG. 4




FIG. 5




FIG. 6