

US00D713930S

(12) United States Design Patent

Tetsuro

(10) Patent No.:

US D713,930 S

(45) **Date of Patent:**

** Sep. 23, 2014

(54) PORTABLE BODY WASHING DEVICE

(75) Inventor: Tanaka Tetsuro, Kumamoto (JP)

(73) Assignee: **Sprout Co., Ltd.**, Kumamoto (JP)

(**) Term: 14 Years
(21) Appl. No.: 29/432,053
(22) Filed: Sep. 13, 2012

(30) Foreign Application Priority Data

Ma	ar. 13, 2012 (CN)	2012 3 0057141
(51)	LOC (10) Cl.		23-01
(52)	U.S. Cl.		
	USPC	• • • • • • • • • • • • • • • • • • • •	D23/213 ; D9/682

(58) Field of Classification Search

USPC D23/213, 225; 239/289; 4/601, 605, 4/615; D9/682, 688; 222/383.1; D28/91.1

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D111,591 S	S *	10/1938	Rosenberg D28/91.1
D156,676 S	S *	12/1949	Skidmore
			Greubel
D437,978 S	3 *	2/2001	Wilson et al D28/91.1
D618,113 S	3 *	6/2010	Bandawat et al D9/682
D629,066 S	S *	12/2010	Thompson

^{*} cited by examiner

Primary Examiner — Robin V Webster

(74) Attorney, Agent, or Firm — Pearne & Gordon LLP

(57) CLAIM

The ornamental design for a portable body washing device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a portable body washing device embodying my new design in a first configuration;

FIG. 2 is a left side view of the portable body washing device of FIG. 1 in the first condition; the right side view being a mirror image of FIG. 2;


FIG. 3 is a top view of the portable body washing device of FIG. 1 in the first condition;

FIG. 4 is a bottom view of the portable body washing device of FIG. 1 in the first condition;

FIG. 5 is a rear view of the portable body washing device of FIG. 1 in the first condition;

FIG. 6 is a front view of a portable body washing device of FIG. 1 embodying my new design in a second configuration wherein a main nozzle is exposed, and wherein the left side view of the portable body washing device in the second configuration would appear identical to FIG. 2, the right side view of the portable body washing device in the second configuration would appear as a mirror image of FIG. 2, the top view of the portable body washing device in the second configuration would appear identical to FIG. 3, the bottom view of the portable body washing device in the second configuration would appear identical to FIG. 4, and the rear view of the portable body washing device in the second configuration would appear identical to FIG. 5;

FIG. 7 is a front view of a portable body washing device of FIG. 1 embodying my new design in a third configuration wherein the main nozzle and two auxiliary nozzles are exposed, and wherein the left side view of the portable body washing device in the third configuration would appear identical to FIG. 2, the right side view of the portable body washing device in the third configuration would appear as a mirror image of FIG. 2, the top view of the portable body washing device in the third configuration would appear identical to FIG. 3, the bottom view of the portable body washing device in the third configuration would appear identical to FIG. 4, and the rear view of the portable body washing device in the third configuration would appear identical to FIG. 5; FIG. 8 is a front view of a portable body washing device of FIG. 1 embodying my new design in a fourth configuration wherein the main nozzle and four auxiliary nozzles are exposed, and wherein the left side view of the portable body washing device in the fourth configuration would appear identical to FIG. 2, the right side view of the portable body washing device in the fourth configuration would appear as a mirror image of FIG. 2, the top view of the portable body washing device in the fourth configuration would appear



identical to FIG. 3, the bottom view of the portable body washing device in the fourth configuration would appear identical to FIG. 4, and the rear view of the portable body washing device in the fourth configuration would appear identical to FIG. 5; and,

FIG. 9 is a front view of a portable body washing device of FIG. 1 embodying my new design in a fifth configuration wherein the main nozzle and four auxiliary nozzles are blocked by a self-washing plate, and wherein the left side view of the portable body washing device in the fifth configuration.

ration would appear identical to FIG. 2, the right side view of the portable body washing device in the fifth configuration would appear as a mirror image of FIG. 2, the top view of the portable body washing device in the fifth configuration would appear identical to FIG. 3, the bottom view of the portable body washing device in the fifth configuration would appear identical to FIG. 4, and the rear view of the portable body washing device in the fifth configuration would appear identical to FIG. 5.

1 Claim, 8 Drawing Sheets

Sep. 23, 2014




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9