



US00D713959S

(12) **United States Design Patent**  
**Wiedenbein**

(10) **Patent No.:** **US D713,959 S**

(45) **Date of Patent:** **\*\* Sep. 23, 2014**

(54) **SURGICAL CLAMP**

(71) Applicant: **Cardiomedical GmbH**, Langenhagen  
(DE)

(72) Inventor: **Wolfgang Wiedenbein**, Seelze (DE)

(73) Assignee: **Cardiomedical GmbH**, Langenhagen  
(DE)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/461,777**

(22) Filed: **Jul. 26, 2013**

(30) **Foreign Application Priority Data**

Feb. 1, 2013 (DE) ..... 40 2013 000 472

(51) **LOC (10) Cl.** ..... **24-02**

(52) **U.S. Cl.**  
USPC ..... **D24/143**

(58) **Field of Classification Search**  
USPC ..... D24/133, 143, 147; D8/51, 72; 81/452;  
600/225-226; 606/1, 49, 51-52, 251,  
606/253, 258, 65, 324, 139, 142, 148, 151,  
606/157-158, 205-208

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,250,075 A \* 10/1993 Badie ..... 606/207  
5,411,481 A \* 5/1995 Allen et al. .... 606/205  
7,270,660 B2 \* 9/2007 Ryan ..... 606/51  
7,291,161 B2 \* 11/2007 Hooven ..... 606/205  
7,582,097 B2 \* 9/2009 McRury et al. .... 606/148

7,588,585 B2 \* 9/2009 Gold et al. .... 606/206  
D610,680 S \* 2/2010 Blocher ..... D24/143  
7,862,581 B2 \* 1/2011 Zeiner et al. .... 606/207  
D632,788 S \* 2/2011 Thouement ..... D24/143  
8,409,229 B2 \* 4/2013 Wiedenbein ..... 606/158  
2003/0195559 A1 \* 10/2003 Colgan et al. .... 606/205

\* cited by examiner

*Primary Examiner* — Wan Laymon

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(57) **CLAIM**

I claim the ornamental design for a surgical clamp, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a surgical clamp according to a first embodiment of my new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a front view thereof;

FIG. 8 is a perspective view thereof with the arms of the clamp in an open position;

FIG. 9 is another perspective view of a surgical clamp according to a second embodiment of my new design;

FIG. 10 is a top view thereof;

FIG. 11 is a bottom view thereof;

FIG. 12 is a right side view thereof;

FIG. 13 is a left side view thereof;

FIG. 14 is a rear view thereof;

FIG. 15 is a front view thereof; and,

FIG. 16 is a perspective view thereof with the arms of the clamp in an open position.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16