



US00D713963S

(12) **United States Design Patent**  
**Liedtke et al.**

(10) **Patent No.:** **US D713,963 S**

(45) **Date of Patent:** **\*\* Sep. 23, 2014**

(54) **DIAGNOSTIC DEVICE**

(71) Applicant: **Roche Diagnostics Operations, Inc.**,  
Indianapolis, IN (US)

(72) Inventors: **Sebastian Liedtke**, Heidelberg (DE);  
**Dieter Loerwald**, Hamburg (DE)

(73) Assignee: **Roche Diagnostics Operations, Inc.**,  
Indianapolis, IN (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/456,028**

(22) Filed: **May 28, 2013**

(30) **Foreign Application Priority Data**

Nov. 28, 2012 (EP) ..... 002143875-0001  
Nov. 28, 2012 (EP) ..... 002143875-0002  
Nov. 28, 2012 (EP) ..... 002143875-0003  
Nov. 28, 2012 (EP) ..... 002143875-0004

(51) **LOC (10) Cl.** ..... **24-01**

(52) **U.S. Cl.**  
USPC ..... **D24/169**

(58) **Field of Classification Search**  
USPC ..... D24/216, 223, 231, 232, 107, 169, 186;  
D10/81; 422/68.1, 420, 500;  
435/287.1, 287.3; 436/43, 45, 47;  
600/309, 365, 368, 583, 584  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D411,621 S \* 6/1999 Eisenbarth et al. .... D24/169  
D417,504 S \* 12/1999 Love et al. .... D24/169

D424,696 S \* 5/2000 Ray et al. .... D24/169  
D471,280 S \* 3/2003 Jaeck ..... D24/169  
D545,436 S \* 6/2007 Padain ..... D24/169  
D600,349 S \* 9/2009 Bell et al. .... D24/169  
D630,113 S \* 1/2011 Orr et al. .... D10/81  
D651,925 S \* 1/2012 Faulkner et al. .... D10/81  
D663,845 S \* 7/2012 Delaey ..... D24/169  
8,211,383 B2 \* 7/2012 Nielsen et al. .... 422/500

\* cited by examiner

*Primary Examiner* — Anhdao Doan

(74) *Attorney, Agent, or Firm* — Roche Diagnostics  
Operations, Inc.


(57) **CLAIM**


The ornamental design for a diagnostic device, as shown and  
described.

**DESCRIPTION**


FIG. 1 is a perspective view of one embodiment of the diag-  
nostic device that illustrates the novel design;  
FIG. 2 is a top view of the diagnostic device of FIG. 1;  
FIG. 3 is a right view of the diagnostic device of FIG. 1;  
FIG. 4 is a left view of the diagnostic device of FIG. 1;  
FIG. 5 is a front view of the diagnostic device of FIG. 1;  
FIG. 6 is a rear view of the diagnostic device of FIG. 1;  
FIG. 7 is a bottom view of the diagnostic device of FIG. 1;  
FIG. 8 is a perspective view of the diagnostic device that  
illustrates a second embodiment of the novel design;  
FIG. 9 is a top view of the diagnostic device of FIG. 8;  
FIG. 10 is a right view of the diagnostic device of FIG. 8;  
FIG. 11 is a left view of the diagnostic device of FIG. 8;  
FIG. 12 is a front view of the diagnostic device of FIG. 8;  
FIG. 13 is a rear view of the diagnostic device of FIG. 8; and,  
FIG. 14 is a bottom view of the diagnostic device of FIG. 8.  
The dashed lines in the drawings are for illustrative purposes  
only and form no part of the claimed design.

**1 Claim, 10 Drawing Sheets**






**Fig. 1**




**Fig. 2**




**Fig. 4**




**Fig. 3**




**Fig. 5**




**Fig. 6**



**Fig. 7**




**Fig. 8**




**Fig. 9**







**Fig. 11**




**Fig. 10**



**Fig. 12**



**Fig. 13**



**Fig. 14**