



US00D713976S

(12) **United States Design Patent**
Van Camp

(10) **Patent No.:** **US D713,976 S**
(45) **Date of Patent:** **** Sep. 23, 2014**

(54) **DOOR SWEEP**

(71) Applicant: **Endura Products, Inc.**, Colfax, NC
(US)

(72) Inventor: **Brent Van Camp**, Kernersville, NC
(US)

(73) Assignee: **Endura Products, Inc.**, Colfax, NC
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/445,977**

(22) Filed: **Feb. 19, 2013**

Related U.S. Application Data

(63) Continuation-in-part of application No. 13/215,905,
filed on Aug. 23, 2011, now Pat. No. 8,522,483.

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/124; D25/48.2**

(58) **Field of Classification Search**
USPC D25/124, 48.2, 119; 49/470, 489.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

56,046 A	7/1866	Hawkins
313,742 A	3/1885	Kintner
435,658 A	9/1890	Brenneman
582,451 A	5/1897	Brannon
220,460 A	10/1897	York
618,013 A	1/1899	Roeder
1,468,958 A	9/1923	Champion
1,795,853 A	3/1931	Glass
2,129,381 A	8/1935	Oftedal et al.
2,108,137 A	4/1936	Oftedal et al.
2,202,482 A	5/1940	Dahl
2,663,056 A	12/1953	Hardgrave

2,696,029 A	12/1954	Neff
2,728,118 A	12/1955	Gossen
2,818,614 A	1/1958	Lapka, Jr.
3,083,420 A	4/1963	Tinflow
3,114,180 A	12/1963	Rledl

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0327840 A2 1/1989

OTHER PUBLICATIONS

Official Action of U.S. Appl. No. 13/215,905, dated Feb. 15, 2013, 17
pgs.

(Continued)

Primary Examiner — Doris Clark

(74) *Attorney, Agent, or Firm* — Womble Carlyle Sandridge
& Rice, LLP


(57) **CLAIM**

The ornamental design for a door sweep, as shown and
described.

DESCRIPTION

FIG. 1 is a left front perspective of my new design;
FIG. 2 is a left side view thereof; the right side view being a
mirror image thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof; and,
FIG. 5 is a bottom front perspective thereof.
The views of the door sweep not shown form no part of the
claimed design. The dashed lines in the Figures immediately
adjacent to the shaded areas represent unclaimed boundaries
of the design. The dashed lines elsewhere in the Figures refer
to environmental elements only and form no part of the
claimed design. The wavy break lines in FIGS. 1 and 3-5
indicate indefinite length.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

3,250,040 A * 5/1966 Squires 49/482.1
 3,374,579 A 3/1968 Neff
 3,402,512 A 9/1968 Peterson
 3,432,966 A 3/1969 Bordner
 3,475,866 A 11/1969 Johansen
 3,762,100 A 10/1973 Kempel
 3,854,246 A 12/1974 McAllister
 3,900,967 A 8/1975 Bursk et al.
 3,967,412 A 7/1976 Governale
 4,055,917 A 11/1977 Coller
 4,079,550 A 3/1978 Bursk et al.
 4,104,830 A 8/1978 Eagle
 4,146,995 A 4/1979 Britt
 4,156,325 A 5/1979 McMullen et al.
 4,213,275 A 7/1980 Oehmig
 4,224,766 A 9/1980 Procton
 4,287,684 A 9/1981 McKann
 4,310,991 A 1/1982 Seely
 4,352,258 A 10/1982 Bursk et al.
 4,387,535 A 6/1983 Corbo
 D270,185 S * 8/1983 Wooten et al. D25/124
 4,411,104 A 10/1983 St. Aubin
 4,447,987 A 5/1984 Lesosky
 4,447,989 A 5/1984 Mailand et al.
 4,513,536 A 4/1985 Giguere
 D279,409 S * 6/1985 Allen, Jr. D25/124
 4,525,953 A 7/1985 Stutzman
 4,625,457 A 12/1986 Avery
 4,628,639 A 12/1986 Lownsdale
 4,686,793 A 8/1987 Mills
 4,716,683 A 1/1988 Minter
 4,831,779 A 5/1989 Kehrli et al.
 5,010,690 A 4/1991 Geoffrey
 5,012,614 A 5/1991 Shea
 5,018,307 A 5/1991 Burrous et al.
 5,067,279 A 11/1991 Hagemeyer
 5,136,814 A 8/1992 Headrick
 5,150,544 A * 9/1992 Burnett 49/493.1
 5,179,804 A 1/1993 Young
 5,426,894 A 6/1995 Headrick
 5,588,266 A 12/1996 Headrick
 5,706,607 A 1/1998 Frey
 5,857,291 A 1/1999 Headrick
 5,943,825 A 8/1999 Procton et al.

6,052,949 A 4/2000 Procton et al.
 6,061,967 A 5/2000 Judds
 6,125,584 A 10/2000 Sanders
 6,138,413 A 10/2000 Fehr
 6,216,395 B1 4/2001 Kelly
 6,367,201 B1 4/2002 Massey
 6,371,188 B1 4/2002 Baczuk et al.
 D488,243 S 4/2004 Babka et al.
 6,763,639 B2 7/2004 Bennett et al.
 6,789,358 B2 9/2004 Procton et al.
 7,114,293 B2 10/2006 Purlee
 D549,850 S 8/2007 Perlman
 7,263,808 B2 9/2007 Massey et al.
 7,350,336 B2 4/2008 Bennett
 7,472,516 B2 1/2009 Pepper et al.
 7,600,346 B2 10/2009 Meeks
 7,644,539 B2 1/2010 Baxter
 7,669,369 B2 3/2010 Henry et al.
 D627,488 S 11/2010 Abdollahzadeh et al.
 D638,958 S 5/2011 Van Camp et al.
 8,074,699 B2 12/2011 Jones et al.
 D696,795 S * 12/2013 Mossman D25/125
 2002/0194787 A1 12/2002 Bennett
 2004/0200153 A1 10/2004 Khanlarian
 2005/0210754 A1 9/2005 Ferrell
 2006/0053695 A1 3/2006 Palenske
 2006/0174545 A1 8/2006 Young
 2006/0283087 A1 12/2006 Baxter
 2007/0227076 A1 10/2007 Braun
 2008/0110100 A1 5/2008 Heppner
 2008/0229669 A1 9/2008 Abdollahzadeh et al.
 2009/0199486 A1 8/2009 Wemlund et al.

OTHER PUBLICATIONS

ThermaTru Doors Product Manual, Comp 13, Comp 11, Jan. 2011 (online). Designs shown therein known at least as early as Aug. 24, 2010. Retrieved on Mar. 3, 2011: <URL: www.thermatru.com/customer-support/technical-manuals/ArchComp/Comp-12-14.pdf>;
 <URL: <http://www.thermatru.com/customer-support/technical-manuals/manuals/ArchComp/Comp11.pdf>>, 6 pgs.
 ThermaTru Doors Product Manual, Comp 13, Kerf Door Bottom, Jun. 2005, 2 pgs.
 ThermaTru Doors, Sills Product Manual, Comp 11, Self-Adjusting Thermal Break Sill, Jun. 2005, 4 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5