



US00D714003S

(12) **United States Design Patent**
Casini

(10) **Patent No.:** **US D714,003 S**

(45) **Date of Patent:** **** Sep. 23, 2014**

(54) **ROBOTIC VACUUM**

(71) Applicant: **Carl Freudenberg KG**, Weinheim (DE)

(72) Inventor: **Luca Casini**, Milan (IT)

(73) Assignee: **Carl Freudenberg KG**, Weinheim (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/466,753**

(22) Filed: **Sep. 11, 2013**

(30) **Foreign Application Priority Data**

Mar. 15, 2013 (EM) 002203489-0014

(51) **LOC (10) Cl.** **15-05**

(52) **U.S. Cl.**
USPC **D32/21**

(58) **Field of Classification Search**
USPC D32/21, 23, 31; 15/353, 320, 339,
15/340.1, 383, 363, 340.4, 246.2, 384,
15/388, 392, 49.1; 180/6.2; 318/568.12;
901/1; 701/2
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D527,854	S *	9/2006	Marzynski	D32/21
D548,411	S *	8/2007	Schroter	D32/21
D548,902	S *	8/2007	Chun et al.	D32/21
D556,961	S *	12/2007	Swyst et al.	D32/21
7,441,298	B2 *	10/2008	Svendsen et al.	15/49.1
D586,959	S *	2/2009	Geringer et al.	D32/21
D593,265	S *	5/2009	Carr et al.	D32/21

D596,815	S *	7/2009	Baek	D32/21
7,832,048	B2 *	11/2010	Harwig et al.	15/320
D658,341	S *	4/2012	Nam et al.	D32/21
D659,920	S *	5/2012	Lee et al.	D32/21
D661,032	S *	5/2012	Lee et al.	D32/21
D661,439	S *	6/2012	Lee et al.	D32/21
D661,440	S *	6/2012	Lee et al.	D32/21
D665,547	S *	8/2012	Nam et al.	D32/21
D669,235	S *	10/2012	Bassett et al.	D32/21
D670,877	S *	11/2012	Geringer et al.	D32/21
8,370,985	B2 *	2/2013	Schnittman et al.	15/41.1
8,438,695	B2 *	5/2013	Gilbert et al.	15/319
D690,478	S *	9/2013	Li et al.	D32/21
D691,337	S *	10/2013	Kim et al.	D32/21
8,584,307	B2 *	11/2013	Won et al.	15/319
8,627,542	B2 *	1/2014	Kim et al.	15/319

(Continued)

Primary Examiner — Ruth McInroy

(74) *Attorney, Agent, or Firm* — Leydig, Voit & Mayer, Ltd.


(57) **CLAIM**

The ornamental design for a robotic vacuum, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a robotic vacuum showing my new design;
FIG. 2 is a rear elevational view of the robotic vacuum of FIG. 1;
FIG. 3 is a top view of the robotic vacuum of FIG. 1;
FIG. 4 is a bottom view of the robotic vacuum of FIG. 1;
FIG. 5 is a left side view of the robotic vacuum of FIG. 1; and,
FIG. 6 is a right side view of the robotic vacuum of FIG. 1.
The broken line representations are for purposes of illustration only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D714,003 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

2006/0288519	A1 *	12/2006	Jaworski et al.	15/340.1	2012/0317745	A1 *	12/2012	Jung et al.	15/319
2007/0266508	A1 *	11/2007	Jones et al.	15/49.1	2013/0025085	A1 *	1/2013	Kim et al.	15/319
2011/0191976	A1 *	8/2011	Yan	15/319	2013/0061417	A1 *	3/2013	Vanderstegen-Drake et al.	15/319
2012/0023699	A1 *	2/2012	Shim et al.	15/319	2013/0086760	A1 *	4/2013	Han et al.	15/49.1
2012/0047676	A1 *	3/2012	Jung et al.	15/319	2013/0152332	A1 *	6/2013	Jang	15/319
2012/0084934	A1 *	4/2012	Li	15/319	2013/0305484	A1 *	11/2013	Dyson et al.	15/353
2012/0317744	A1 *	12/2012	Gilbert et al.	15/319	2013/0340201	A1 *	12/2013	Jang et al.	15/319

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6