



US00D714013S

(12) **United States Design Patent**  
**Sharp**

(10) **Patent No.:** **US D714,013 S**

(45) **Date of Patent:** **\*\* Sep. 23, 2014**

(54) **ADJUSTABLE-WIDTH MOVABLE LOAD BACKREST**

(71) Applicant: **Geoffrey R. Sharp**, Visalia, CA (US)

(72) Inventor: **Geoffrey R. Sharp**, Visalia, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/449,989**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (10) Cl.** ..... **12-05**

(52) **U.S. Cl.**  
USPC ..... **D34/35**

(58) **Field of Classification Search**

CPC ..... B66F 9/12; B66F 9/06; B66F 9/07554;  
B66F 9/07545; B66F 9/07568; B66F 9/08;  
B66F 17/003; B66F 9/02  
USPC ..... D34/34, 35; 187/222, 224, 237, 230;  
414/607, 685, 785, 679, 294, 668, 629,  
414/671, 618, 632; 280/43.12; 180/89.12,  
180/299, 315

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D249,663	S	9/1978	Willett	
4,421,449	A	12/1983	Cotton	
4,505,635	A *	3/1985	Shinoda et al.	414/667
4,708,576	A	11/1987	Conley	
D297,848	S	9/1988	Burenga	
5,184,699	A *	2/1993	Aoki et al.	187/224
5,618,159	A	4/1997	Wilson	
6,533,526	B2	3/2003	Lindgren et al.	
D504,200	S *	4/2005	Swedish et al.	D34/35
6,902,039	B2	6/2005	Kunch	
D535,805	S	1/2007	Stark	
7,195,105	B2	3/2007	Tygard	
D551,423	S	9/2007	Kodama et al.	
D604,474	S *	11/2009	Cronje	D34/35
7,730,599	B2	6/2010	Tyree	
D656,292	S *	3/2012	Sharp	D34/35

D659,940	S *	5/2012	Sharp	D34/35
D694,984	S *	12/2013	Kawakami et al.	D34/34
D700,763	S *	3/2014	Sharp	D34/35
2003/0080545	A1 *	5/2003	Rosenkranz	280/762
2005/0196265	A1	9/2005	Moore et al.	
2010/0101895	A1	4/2010	Collins et al.	
2011/0139546	A1	6/2011	Look	

\* cited by examiner

*Primary Examiner* — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — Maier & Maier, PLLC

(57) **CLAIM**


The ornamental design for an adjustable-width movable load backrest, as shown and described.

**DESCRIPTION**

FIG. 1 is a front isometric view of an adjustable-width movable load backrest in a first configuration, showing my design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a top view thereof; FIG. 5 is a bottom view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a left side view thereof; FIG. 8 is a front isometric view of the adjustable-width movable load backrest in a second configuration; FIG. 9 is a front view thereof; FIG. 10 is a rear view thereof; FIG. 11 is a top view thereof; FIG. 12 is a bottom view thereof; FIG. 13 is a right side view thereof; and, FIG. 14 is a left side view thereof.

The broken line showing in the drawings is included for the purpose of illustrating portions of the adjustable-width movable load backrest and forms no part of the claimed design. The scope of the claimed design does not extend to the space between the two portions of the adjustable-width movable load backrest.

**1 Claim, 8 Drawing Sheets**








Fig. 1



*Fig. 2*



*Fig. 3*






Fig. 4




Fig. 5





Fig. 8



*Fig. 9*






Fig. 10



*Fig. 11*



*Fig. 12*






FIG. 14



FIG. 13