



US00D714143S

(12) **United States Design Patent**  
**Hodge**

(10) **Patent No.:** **US D714,143 S**

(45) **Date of Patent:** **\*\* Sep. 30, 2014**

(54) **LID FOR A CONTAINER**

D401,854 S \* 12/1998 DeCoster et al. .... D9/435  
D405,010 S \* 2/1999 Peter et al. .... D9/438  
6,089,397 A 7/2000 Van Melle

(71) Applicant: **Huhtamaki, Inc.**, De Soto, KS (US)

(Continued)

(72) Inventor: **Don Hodge**, Clare, MI (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Huhtamaki, Inc.**, De Soto, KS (US)

RU 00067116 \* 7/2008

(\*\*) Term: **14 Years**

*Primary Examiner* — Susan Bennett Hattan

(21) Appl. No.: **29/435,584**

*Assistant Examiner* — Leanne Was

(22) Filed: **Oct. 25, 2012**

(74) *Attorney, Agent, or Firm* — Husch Blackwell LLP

(51) **LOC (10) Cl.** ..... **09-07**

(57) **CLAIM**

The ornamental design for a lid for a container, as shown and described.

(52) **U.S. Cl.**

**DESCRIPTION**

USPC ..... **D9/438**

(58) **Field of Classification Search**

USPC ..... D7/392.1, 396, 396.1, 396.2, 387;  
D9/434, 435, 436, 438, 439, 441, 443,  
D9/445, 447, 449, 455; D20/28; 81/3.55,  
81/3.56, 3.57; 215/235, 237; 220/254.1,  
220/254.3, 254.6, 269, 270, 345.3;  
222/480; 413/14, 16, 25

See application file for complete search history.

FIG. 1 is a top perspective view of the design of a lid for a container having a closure member attached thereto in a closed position;

FIG. 2 is a top perspective view of the lid for a container shown in FIG. 1 having a closure member attached thereto in an open position;

FIG. 3 is a top plan view of the lid for a container shown in FIG. 1 having a closure member attached thereto in a closed position;

FIG. 4 is a right side view of the lid for a container shown in FIG. 1 having a closure member attached thereto in a closed position;

FIG. 5 is a front side view of the lid for a container shown in FIG. 1 having a closure member attached thereto in a closed position;

FIG. 6 is a back side view of the lid for a container shown in FIG. 1 having a closure member attached thereto in a closed position; and,

FIG. 7 is a bottom plan view of the lid for a container shown in FIG. 1 having a closure member attached thereto in a closed position.


The features shown in broken lines depict environmental subject matter only and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D204,574 S *	4/1966	Harvey et al. ....	D9/438
3,744,662 A *	7/1973	Zundel .....	220/269
D243,157 S *	1/1977	Zundel .....	D9/438
D285,415 S *	9/1986	Brownbill .....	D9/438
D285,661 S *	9/1986	Brownbill .....	D9/435
D295,831 S *	5/1988	Urion .....	D9/438
4,799,602 A	1/1989	Collins et al.	
D300,608 S *	4/1989	Taylor et al. ....	D9/438
D305,305 S *	1/1990	Pavely et al. ....	D9/438
D305,990 S *	2/1990	Taylor .....	D9/438
D320,349 S *	10/1991	Martens .....	D9/438
5,111,961 A	5/1992	Van Melle	
5,197,624 A	3/1993	Dodaro	
5,497,896 A *	3/1996	Shand .....	220/269
5,791,509 A	8/1998	Rush et al.	

**1 Claim, 5 Drawing Sheets**



# US D714,143 S

Page 2

---

(56)

## References Cited

### U.S. PATENT DOCUMENTS

6,679,397 B2 1/2004 Smith et al.  
D495,600 S \* 9/2004 Kouri ..... D9/435  
7,175,042 B2 2/2007 Durdon

D583,191 S \* 12/2008 Wong ..... D7/396.2  
D584,106 S \* 1/2009 Wong ..... D7/396.2  
D589,747 S \* 4/2009 Wong ..... D7/396.2  
D591,103 S \* 4/2009 Wong ..... D7/396.2

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7