US00D714234S

(12) **United States Design Patent**
Altonen et al.

(10) **Patent No.: US D714,234 S**
(45) **Date of Patent: ** *Sep. 30, 2014**

(54) **CONTROL DEVICE**

(71) Applicant: **Lutron Electronics Co., Inc.**, Coopersburg, PA (US)

(72) Inventors: **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US); **William Taylor Shivell**, Breinigsville, PA (US)

(73) Assignee: **Lutron Electronics Co., Inc.**, Coopersburg, PA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/437,838**

(22) Filed: **Nov. 21, 2012**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/177**

(58) **Field of Classification Search**
USPC ..... D13/162, 164, 173, 174, 177; 200/5 R, 200/5 A, 302.2, 520, 530, 293, 296, 308, 200/310, 314, 317, 329, 333, 341; 307/157; 315/209 R, 224, 246, 291, 294, 295
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,780,573	A	*	10/1988	Own	174/66
D311,678	S	*	10/1990	Graef et al.	D8/353
D378,814	S	*	4/1997	Adams et al.	D13/164
6,350,039	B1	*	2/2002	Lee	362/95
6,459,250	B1	*	10/2002	Davis	323/352
D465,460	S	*	11/2002	Mayo et al.	D13/164
D510,074	S		9/2005	Larson et al.	
D546,776	S	*	7/2007	Mierta et al.	D13/162
D560,619	S		1/2008	Hewson et al.	
D573,956	S		7/2008	Hollner et al.	
D574,787	S	*	8/2008	Hollner	D13/162
D580,884	S	*	11/2008	Hollner	D13/164
D588,072	S	*	3/2009	Hollner et al.	D13/164
D595,240	S	*	6/2009	Busbridge	D13/171
D633,448	S	*	3/2011	Biery et al.	D13/171
D645,001	S		9/2011	Margolin et al.	
D658,591	S		5/2012	Margolin et al.	
2008/0169176	A1	*	7/2008	Yang	200/310

OTHER PUBLICATIONS

U.S. Appl. No. 29/437,837, filed Nov. 21, 2012, Altonen et al.
U.S. Appl. No. 29/437,854, filed Nov. 21, 2012, Altonen et al.
U.S. Appl. No. 29/449,412, filed Mar. 15, 2013, Altonen et al.
(Continued)

Primary Examiner — Selina Sikder
(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(57) **CLAIM**

We claim the ornamental design for a control device, as shown and described.

DESCRIPTION

FIG. **1** is a perspective view of a control device according to our new design.
FIG. **2** is a front view thereof.
FIG. **3** is a left side view thereof.
FIG. **4** is a right side view thereof.
FIG. **5** is a top view thereof; and,
FIG. **6** is a bottom view thereof.
The rear view forms no part of the design and is omitted. The oblique shade lines shown in the drawings indicate a transparent or translucent surface. The portions of the drawings appearing in broken line are for environment only and do not form a part of the claimed design.

1 Claim, 4 Drawing Sheets





(56) **References Cited**

OTHER PUBLICATIONS

U.S. Appl. No. 29/452,688, filed Apr. 19, 2013, Altonen et al.
Inncom, GS-700 Family Glass Series Switches Sell Sheet, Nov. 2008, 2 pages.
Gira Giersiepen GmbH & Co. KG, Espirit Brochure, May 2009, 4 pages.
Dynalite Intelligent Light Pty Ltd, Light News, Aug. 2005, 8 pages, issue 2.

* cited by examiner



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6