



US00D714406S

(12) **United States Design Patent**
Saruma

(10) **Patent No.:** **US D714,406 S**
(45) **Date of Patent:** **** Sep. 30, 2014**

(54) **SWING TRAINING IMPLEMENT FOR BALL GAME**

(71) Applicant: **Kaji Corporation**, Shimane (JP)

(72) Inventor: **Kanako Saruma**, Soraku-Gun (JP)

(73) Assignee: **Kaji Corporation**, Nita-gun (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/485,467**

(22) Filed: **Mar. 19, 2014**

(30) **Foreign Application Priority Data**

Sep. 19, 2013 (JP) 2013-021671

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/698; D21/780**

(58) **Field of Classification Search**
USPC D21/662, 685, 686, 689, 694, 698, 780,
D21/781, 789, 791, 792, 799.1; D19/59;
473/217, 218, 266, 270-273, 422, 447,
473/451, 452, 453, 468, 497, 499, 500;
434/247-249; 482/14, 79, 80, 146, 147
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,236,520	A *	2/1966	Friedman	473/452
3,479,028	A *	11/1969	Goeders	473/497
D252,048	S *	6/1979	Richards	D21/792
4,194,735	A *	3/1980	Wilson	473/452
4,306,718	A *	12/1981	Goeders	473/497
D263,979	S *	4/1982	Van Gerpen et al.	D21/780

4,601,469	A *	7/1986	Sasser, Jr.	482/146
5,037,094	A *	8/1991	Johnson	473/452
5,076,580	A *	12/1991	Lang	473/417
6,432,001	B1 *	8/2002	Pierce	473/452
6,638,176	B1 *	10/2003	Hayes et al.	473/266
6,659,924	B1 *	12/2003	Hsu	482/146
6,926,625	B1 *	8/2005	Fruechting	473/452
7,018,301	B1 *	3/2006	Cascerceri et al.	473/270
7,335,117	B2 *	2/2008	Reason-Kerkhoff	473/452
D602,553	S *	10/2009	Wright	D21/780
D624,141	S *	9/2010	Lai	D21/792
7,946,928	B2 *	5/2011	Mooney	473/269
8,062,199	B2 *	11/2011	Smith	482/146
8,226,533	B2 *	7/2012	Wessels et al.	482/105
2011/0003652	A1 *	1/2011	Brend	473/452

* cited by examiner

Primary Examiner — Catherine Tuttle

(74) *Attorney, Agent, or Firm* — Westerman, Hattori, Daniels & Adrian, LLP


(57) **CLAIM**

The ornamental design for a swing training implement for ball game, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a swing training implement for ball game showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a right side elevational view thereof;
FIG. 7 is a cross-sectional view thereof, taken along the line 7-7 of FIG. 1; and,
FIG. 8 is a perspective view thereof.

1 Claim, 8 Drawing Sheets






FIG. 1



FIG.2



FIG.3




FIG.4




FIG.5



FIG.6




FIG.7




FIG.8