



US00D714620S

(12) **United States Design Patent**  
**Fujioka**

(10) **Patent No.:** **US D714,620 S**

(45) **Date of Patent:** **\*\* Oct. 7, 2014**

(54) **WIRE MANAGEMENT**

(71) Applicant: **Robb Fujioka**, Manhattan Beach, CA  
(US)

(72) Inventor: **Robb Fujioka**, Manhattan Beach, CA  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/483,042**

(22) Filed: **Feb. 25, 2014**

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**  
USPC ..... **D8/356**

(58) **Field of Classification Search**  
CPC ..... A61N 1/00  
USPC ..... D8/356, 367, 354, 349, 394, 373;  
D24/128; D25/99; 24/455; 248/62, 63,  
248/65, 74.1, 74.2, 75, 313, 316.1, 229.26;  
D11/218; 410/97

See application file for complete search history.

5,702,845 A *	12/1997	Kawakami et al. ....	429/224
D395,815 S *	7/1998	Walters et al. ....	D8/354
5,901,930 A *	5/1999	Harrel .....	248/51
D428,325 S *	7/2000	van Dreumel et al. ....	D8/354
D505,616 S *	5/2005	Wingerter et al. ....	D8/383
D509,725 S *	9/2005	Watson .....	D8/395
D526,885 S *	8/2006	Kelleghan .....	D8/356
D559,080 S *	1/2008	Boote .....	D8/354
D568,722 S *	5/2008	King .....	D8/354
D587,101 S *	2/2009	Morgan .....	D8/356
D587,102 S *	2/2009	Morgan .....	D8/356
D597,403 S *	8/2009	Ho et al. ....	D8/396
D601,879 S *	10/2009	Kim et al. ....	D8/356
D613,412 S *	4/2010	DeCarlo .....	D24/186
D619,940 S *	7/2010	Strang .....	D12/159
D620,781 S *	8/2010	Weckworth .....	D8/356
D628,218 S *	11/2010	Tommassini .....	D15/138
D655,598 S *	3/2012	Hsu .....	D8/356
D674,271 S *	1/2013	Rodwin .....	D8/356
D680,419 S *	4/2013	Green et al. ....	D8/354
D691,877 S *	10/2013	Ganski .....	D8/356
D701,448 S *	3/2014	Rodwin .....	D8/356

\* cited by examiner

*Primary Examiner* — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Steptoe & Johnson LLP

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

450,378 A *	4/1891	Robinson .....	451/461
1,342,001 A *	6/1920	Schulte .....	429/121
D140,317 S *	2/1945	Allen .....	D8/397
2,790,570 A *	4/1957	Hodges et al. ....	215/260
3,123,879 A *	3/1964	Boduroff et al. ....	403/217
3,132,822 A *	5/1964	Arthur .....	242/613.4
3,308,703 A *	3/1967	Sauer .....	83/676
3,363,216 A *	1/1968	Benedetto .....	439/147
D297,303 S *	8/1988	Finklestein .....	D8/382
D308,933 S *	7/1990	Hube et al. ....	D8/356
5,027,478 A *	7/1991	Suhr .....	24/16 R
5,046,899 A *	9/1991	Nishi .....	407/102
D340,942 S *	11/1993	Smith .....	D17/99
D358,545 S *	5/1995	Price .....	D8/356
D372,419 S *	8/1996	Ikegami .....	D8/382

(57) **CLAIM**

The ornamental design for an wire management, as shown and described.

**DESCRIPTION**

FIG. 1 is a top, front, right side, perspective view of the present invention;  
FIG. 2 is front elevation view;  
FIG. 3 is a rear elevation view;  
FIG. 4 is a left side elevation view;  
FIG. 5 is a right side elevation view; and,  
FIG. 6 is a bottom plan view, the top plan view being a mirror image.

**1 Claim, 2 Drawing Sheets**




FIG. 1




FIG. 2

FIG. 3






FIG. 4

FIG. 5




FIG. 6

