



US00D714620S

(12) **United States Design Patent**
Fujioka

(10) **Patent No.:** **US D714,620 S**

(45) **Date of Patent:** **** Oct. 7, 2014**

(54) **WIRE MANAGEMENT**

(71) Applicant: **Robb Fujioka**, Manhattan Beach, CA
(US)

(72) Inventor: **Robb Fujioka**, Manhattan Beach, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/483,042**

(22) Filed: **Feb. 25, 2014**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/356**

(58) **Field of Classification Search**
CPC A61N 1/00
USPC D8/356, 367, 354, 349, 394, 373;
D24/128; D25/99; 24/455; 248/62, 63,
248/65, 74.1, 74.2, 75, 313, 316.1, 229.26;
D11/218; 410/97
See application file for complete search history.

5,702,845	A *	12/1997	Kawakami et al.	429/224
D395,815	S *	7/1998	Walters et al.	D8/354
5,901,930	A *	5/1999	Harrel	248/51
D428,325	S *	7/2000	van Dreumel et al.	D8/354
D505,616	S *	5/2005	Wingerter et al.	D8/383
D509,725	S *	9/2005	Watson	D8/395
D526,885	S *	8/2006	Kelleghan	D8/356
D559,080	S *	1/2008	Boote	D8/354
D568,722	S *	5/2008	King	D8/354
D587,101	S *	2/2009	Morgan	D8/356
D587,102	S *	2/2009	Morgan	D8/356
D597,403	S *	8/2009	Ho et al.	D8/396
D601,879	S *	10/2009	Kim et al.	D8/356
D613,412	S *	4/2010	DeCarlo	D24/186
D619,940	S *	7/2010	Strang	D12/159
D620,781	S *	8/2010	Weckworth	D8/356
D628,218	S *	11/2010	Tommassini	D15/138
D655,598	S *	3/2012	Hsu	D8/356
D674,271	S *	1/2013	Rodwin	D8/356
D680,419	S *	4/2013	Green et al.	D8/354
D691,877	S *	10/2013	Ganski	D8/356
D701,448	S *	3/2014	Rodwin	D8/356

* cited by examiner

Primary Examiner — Cynthia Underwood
(74) *Attorney, Agent, or Firm* — Steptoe & Johnson LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

450,378	A *	4/1891	Robinson	451/461
1,342,001	A *	6/1920	Schulte	429/121
D140,317	S *	2/1945	Allen	D8/397
2,790,570	A *	4/1957	Hodges et al.	215/260
3,123,879	A *	3/1964	Boduroff et al.	403/217
3,132,822	A *	5/1964	Arthur	242/613.4
3,308,703	A *	3/1967	Sauer	83/676
3,363,216	A *	1/1968	Benedetto	439/147
D297,303	S *	8/1988	Finklestein	D8/382
D308,933	S *	7/1990	Hube et al.	D8/356
5,027,478	A *	7/1991	Suhr	24/16 R
5,046,899	A *	9/1991	Nishi	407/102
D340,942	S *	11/1993	Smith	D17/99
D358,545	S *	5/1995	Price	D8/356
D372,419	S *	8/1996	Ikegami	D8/382

(57) **CLAIM**

The ornamental design for an wire management, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side, perspective view of the present invention;
FIG. 2 is front elevation view;
FIG. 3 is a rear elevation view;
FIG. 4 is a left side elevation view;
FIG. 5 is a right side elevation view; and,
FIG. 6 is a bottom plan view, the top plan view being a mirror image.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2

FIG. 3





FIG. 4

FIG. 5




FIG. 6

