

US00D714623S

(12) **United States Design Patent**
Pan

(10) **Patent No.:** **US D714,623 S**

(45) **Date of Patent:** **** Oct. 7, 2014**

- (54) **HOOK**
- (71) Applicant: **3M Innovative Properties Company**,
St. Paul, MN (US)
- (72) Inventor: **Angela L. Pan**, Woodbury, MN (US)
- (73) Assignee: **3M Innovative Properties Company**,
St. Paul, MN (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/487,052**
- (22) Filed: **Apr. 4, 2014**
- (51) **LOC (10) Cl.** **08-05**
- (52) **U.S. Cl.**
USPC **D8/367**
- (58) **Field of Classification Search**
CPC A47G 1/00; A47G 25/00
USPC D8/367, 354, 349, 373; D6/323;
248/301-304, 339
See application file for complete search history.

| | | | | |
|----------------|---------|------------------|-------|-----------|
| D480,292 S * | 10/2003 | Johansson et al. | | D8/367 |
| D494,452 S * | 8/2004 | Sheldon et al. | | D8/367 |
| D543,837 S * | 6/2007 | Newbould et al. | | D8/367 |
| D554,481 S * | 11/2007 | Newbould et al. | | D8/367 |
| D554,482 S * | 11/2007 | Hager et al. | | D8/367 |
| D565,939 S * | 4/2008 | Newbould et al. | | D8/367 |
| D572,121 S * | 7/2008 | Shiffler | | D8/367 |
| D579,322 S * | 10/2008 | Newbould et al. | | D8/367 |
| D583,653 S * | 12/2008 | Thompson et al. | | D8/367 |
| D584,939 S * | 1/2009 | Snell | | D8/367 |
| D603,688 S * | 11/2009 | Chiu | | D8/367 |
| D609,995 S * | 2/2010 | Hager et al. | | D8/367 |
| 7,833,620 B2 * | 11/2010 | Enserink et al. | | 428/321.1 |
| D632,951 S * | 2/2011 | McGreevy et al. | | D8/367 |
| D641,228 S * | 7/2011 | Qiblawi et al. | | D8/367 |
| D665,653 S * | 8/2012 | Thompson et al. | | D8/367 |
| D678,041 S * | 3/2013 | Pan et al. | | D8/367 |
| D680,804 S * | 4/2013 | Gilboe | | D7/367 |
| D697,388 S * | 1/2014 | Pan | | D8/367 |
| D697,389 S * | 1/2014 | Pan | | D8/367 |

* cited by examiner

Primary Examiner — Cynthia Underwood
(74) *Attorney, Agent, or Firm* — Irina Hass


(57) **CLAIM**
The ornamental design for a hook, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing the new design for a hook;
FIG. 2 is a front view thereof;
FIG. 3 is a right side view thereof, a left side view being a mirror image thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a top view thereof; and,
FIG. 6 is a bottom view thereof.

1 Claim, 2 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- | | | | | |
|----------------|---------|-----------------|-------|---------|
| D241,206 S * | 8/1976 | Halsted | | D6/323 |
| D289,139 S * | 4/1987 | Chasen | | D8/367 |
| D289,255 S * | 4/1987 | Chasen | | D8/367 |
| D307,539 S * | 5/1990 | Goodman et al. | | D8/367 |
| D339,058 S * | 9/1993 | Greenhut et al. | | D8/367 |
| D345,497 S * | 3/1994 | Miller | | D8/367 |
| D361,930 S * | 9/1995 | Fillipp et al. | | D8/367 |
| D390,014 S * | 2/1998 | Ho | | D6/323 |
| D393,412 S * | 4/1998 | Bries et al. | | D8/367 |
| D417,385 S * | 12/1999 | Bries et al. | | D8/367 |
| 6,325,342 B1 * | 12/2001 | Dignat | | 248/118 |






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6