



US00D714631S

(12) **United States Design Patent**
Frydlewski et al.

(10) **Patent No.:** **US D714,631 S**
(45) **Date of Patent:** **** Oct. 7, 2014**

(54) **FASTENING DEVICE**
(71) Applicant: **Hickies, Inc.**, Brooklyn, NY (US)
(72) Inventors: **Gaston Frydlewski**, Brooklyn, NY (US); **Maria Raquel Waingarten**, Brooklyn, NY (US); **David Reeb**, Sykesville, MD (US)
(73) Assignee: **Hickies, Inc.**, Brooklyn, NY (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/467,522**

1,934,455 A 11/1933 Staude et al.
1,945,932 A 2/1934 Caley
1,966,135 A 7/1934 Reh
2,264,644 A 12/1941 Santangelo
2,289,225 A 7/1942 Tonai
2,689,991 A 9/1954 Fedankiw et al.
D177,723 S 5/1956 Doherty
2,871,537 A 2/1959 Hickerson
3,193,950 A 7/1965 Liou
3,701,572 A 10/1972 Velasquez
3,731,350 A 5/1973 Diebold
4,112,988 A 9/1978 Nelson
4,486,965 A 12/1984 Friton
5,214,826 A 6/1993 Fortune
5,230,171 A 7/1993 Cardaropoli
5,239,732 A 8/1993 Steven

(Continued)

(22) Filed: **Sep. 20, 2013**
(51) **LOC (10) Cl.** **08-08**
(52) **U.S. Cl.**
USPC **D8/394**
(58) **Field of Classification Search**
USPC D8/354, 356, 371, 394-396; D19/65,
D19/86; D24/128; 248/74.2, 215, 227.1, 49,
248/300, 301, 316.7, 51, 489; 24/570, 3.12;
D32/61; D11/78.1
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

WO WO2013/119268 8/2013
Primary Examiner — John Windmuller
(74) *Attorney, Agent, or Firm* — Venable LLP; Steven J. Schwarz; Trent B. Ostler

(56) **References Cited**

U.S. PATENT DOCUMENTS


146,913 A 1/1874 Keith
315,819 A 4/1885 Naylor
562,114 A 6/1896 Benford
565,884 A 8/1896 Emmons
715,599 A 12/1902 Pitts
830,902 A 9/1906 Keller
976,826 A * 11/1910 Obele 242/405.1
1,055,118 A 3/1913 Ziegler
1,184,647 A 5/1916 Holloway
1,458,088 A 6/1923 Unnold
1,595,630 A 8/1926 Stockton
1,678,241 A 7/1928 Benz
1,685,489 A 9/1928 Jansen
D89,286 S 2/1933 Rosenthal

(57) **CLAIM**
The ornamental design for a fastening device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a fastening device showing our new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevation view thereof, the rear elevation view being a mirror image of FIG. 3;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof; and,
FIG. 6 is a bottom plan view thereof.
The broken lines in the figures represent portions of the fastening device which form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)


References Cited

U.S. PATENT DOCUMENTS

5,388,315 A 2/1995 Jones
 5,465,442 A 11/1995 Merser
 5,537,763 A 7/1996 Donnadie et al.
 5,692,276 A 12/1997 Paston
 D393,411 S * 4/1998 Crowe D8/360.1
 5,737,811 A 4/1998 Rashid
 6,701,589 B1 3/2004 Kliewer
 D544,338 S * 6/2007 Christensen et al. D8/358

D579,764 S * 11/2008 Kuhlmann D8/394
 7,506,420 B2 3/2009 Frydlewski et al.
 D590,705 S * 4/2009 Kuhlmann D8/394
 D623,933 S * 9/2010 Mallin et al. D8/394
 7,825,337 B2 * 11/2010 Young, IV 174/72 A
 D637,065 S * 5/2011 Krietzman et al. D8/356
 D637,066 S * 5/2011 Krietzman et al. D8/356
 D686,909 S 7/2013 Frydlewski et al.
 D698,232 S * 1/2014 Weinberg D8/394
 2006/0168785 A1 8/2006 Kraft et al.
 2011/0058902 A1 * 3/2011 Barbeau et al. 405/218

* cited by examiner






FIG. 2



FIG. 3




FIG. 6