



US00D714632S

(12) **United States Design Patent**
Pando

(10) **Patent No.:** **US D714,632 S**
(45) **Date of Patent:** **** Oct. 7, 2014**

(54) **WIRE TIE DEVICE**

(71) Applicant: **Jose Pando**, Hobbs, NM (US)

(72) Inventor: **Jose Pando**, Hobbs, NM (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/466,176**

(22) Filed: **Sep. 5, 2013**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/396; D8/356**

(58) **Field of Classification Search**
USPC D8/356, 367, 354, 349, 373, 396, 383,
D8/394; 136/246; D6/323; 248/301-304,
248/339, 205.3, 58, 60, 74.3, 71; 24/16 PB,
24/17 AP, 30.5 P, 30.5 S, 300, 301, 302,
24/339, DIG. 16; 70/16; 128/878
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|-----------------|----------|
| 3,490,104 | A * | 1/1970 | Kabel | 24/16 PB |
| D224,960 | S * | 10/1972 | Wilson | D8/394 |
| D256,438 | S * | 8/1980 | Woods | D8/394 |
| 4,236,280 | A * | 12/1980 | Kreiseder | 24/16 PB |
| D273,361 | S * | 4/1984 | Suzuki | D8/394 |
| D281,301 | S * | 11/1985 | Spolar | D10/46.2 |
| D305,977 | S * | 2/1990 | Ono | D8/396 |
| D317,326 | S * | 6/1991 | Berracasa | D19/65 |
| 5,042,181 | A | 8/1991 | Fortsch | |
| D326,406 | S * | 5/1992 | Anderson et al. | D8/394 |
| 5,416,955 | A * | 5/1995 | Katsma | 24/588.1 |
| D363,212 | S * | 10/1995 | Hill | D8/396 |
| D368,853 | S * | 4/1996 | Liu et al. | D8/394 |
| 5,560,564 | A | 10/1996 | Maynard | |
| 5,884,367 | A * | 3/1999 | Teagno et al. | 24/16 PB |
| D424,923 | S * | 5/2000 | Lodi | D8/396 |
| 6,105,908 | A * | 8/2000 | Kraus | 248/74.3 |
| 6,186,451 | B1 | 2/2001 | Benoit | |
| 6,196,033 | B1 * | 3/2001 | Dowdle | 70/16 |

| | | | | |
|--------------|------|---------|-----------------|----------|
| D442,851 | S * | 5/2001 | Wilson | D8/394 |
| 6,363,244 | B1 * | 3/2002 | McGhee | 455/90.1 |
| 6,828,509 | B2 * | 12/2004 | Ito et al. | 174/135 |
| D537,333 | S * | 2/2007 | Jowsey | D8/396 |
| D565,401 | S * | 4/2008 | Grady et al. | D8/394 |
| D570,673 | S * | 6/2008 | Geiger et al. | D8/394 |
| 7,469,854 | B2 | 12/2008 | Richardson | |
| D599,196 | S | 9/2009 | Ruffin et al. | |
| D631,731 | S * | 2/2011 | Chen | D8/356 |
| D634,187 | S * | 3/2011 | Kozel | D8/396 |
| 8,033,966 | B2 * | 10/2011 | Ayoub | 482/121 |
| 8,269,111 | B2 | 9/2012 | Scifo et al. | |
| D670,154 | S * | 11/2012 | Kelleghan | D8/356 |
| 2003/0106190 | A1 * | 6/2003 | Christianson | 24/600.1 |
| 2008/0185409 | A1 * | 8/2008 | Kellenberger | 224/257 |
| 2009/0276983 | A1 * | 11/2009 | Chan | 24/369 |
| 2010/0071169 | A1 * | 3/2010 | Williams et al. | 24/16 PB |
| 2010/0306967 | A1 * | 12/2010 | Geiger | 24/16 PB |
| 2012/0261156 | A1 | 10/2012 | Dower et al. | |
| 2012/0291231 | A1 | 11/2012 | Ku | |
| 2013/0126661 | A1 | 5/2013 | Detweiler | |

* cited by examiner

Primary Examiner — Cynthia Underwood
(74) *Attorney, Agent, or Firm* — Richard L. Miller


(57) **CLAIM**

The ornamental design for a wire tie device, as shown and described.

DESCRIPTION

FIG. 1 is a front plan view of a wire tie device showing my new design;
FIG. 2 is a top elevational view thereof;
FIG. 3 is a left side elevational view thereof, it being understood that the right side elevational view is a mirror image thereof;
FIG. 4 is a bottom elevational view thereof; and,
FIG. 5 is a rear plan view thereof.
Any portion of any figure shown in broken lines are for environmental purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig 1



Fig 2



Fig 4



Fig 3




Fig 5