



US00D714907S

(12) **United States Design Patent**
Spraw et al.

(10) **Patent No.:** **US D714,907 S**

(45) **Date of Patent:** **** *Oct. 7, 2014**

(54) **FLUID APPLICATOR**

(71) Applicants: **Bradley Alan Spraw**, Maumee, OH
(US); **Craig A. Williams**, Maumee, OH
(US)

(72) Inventors: **Bradley Alan Spraw**, Maumee, OH
(US); **Craig A. Williams**, Maumee, OH
(US)

(73) Assignee: **Designetics, Inc.**, Holland, OH (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/465,140**

(22) Filed: **Aug. 23, 2013**

(51) **LOC (10) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/213**

(58) **Field of Classification Search**
USPC D23/213; D9/723, 724; 239/589, 597,
239/601; 401/55, 266, 205, 206; 118/264

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|-------------------|-------|---------|
| D372,070 | S | * | 7/1996 | Zak et al. | | D23/213 |
| 6,981,664 | B1 | * | 1/2006 | Fugere | | 239/591 |
| D535,721 | S | * | 1/2007 | Ford et al. | | D23/213 |
| D567,899 | S | * | 4/2008 | Rigolio | | D23/213 |
| 7,708,211 | B2 | * | 5/2010 | Maier et al. | | 239/456 |
| D639,903 | S | * | 6/2011 | Plotzitzka et al. | | D23/213 |
| D667,530 | S | * | 9/2012 | Wyne | | D23/213 |
| D670,357 | S | * | 11/2012 | Lang et al. | | D23/213 |

* cited by examiner

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — Donald K. Wedding

(57) **CLAIM**

The ornamental design for a fluid applicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our ornamental design for a fluid applicator containing four holes radially spaced 90° apart near the proximal end, two of which are shown. Two additional holes are located on the opposite perspective side view which is identical to FIG. 1.

FIG. 2 is a top view of our design shown in FIG. 1.


FIG. 3 is a side plan view of our design showing one hole, with the other side plan views being identical; and,

FIG. 4 is a bottom view of our design shown in FIG. 1.

The applicator is closed at the top end and open at the bottom end.

The fluid applicator is used to apply a fluid to a surface.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4