

(12) United States Design Patent (10) Patent No.: US D714,907 S Spraw et al. (45) Date of Patent: ** *Oct. 7, 2014

(56)

(54) FLUID APPLICATOR

- (71) Applicants: Bradley Alan Spraw, Maumee, OH
 (US); Craig A. Williams, Maumee, OH
 (US)
- (72) Inventors: Bradley Alan Spraw, Maumee, OH(US); Craig A. Williams, Maumee, OH

References Cited

U.S. PATENT DOCUMENTS

D372,070	S	*	7/1996	Zak et al D23/213
6,981,664	B1	*	1/2006	Fugere 239/591
D535,721	S	*	1/2007	Ford et al D23/213
D567,899	S	*	4/2008	Rigolio D23/213
7,708,211	B2	*	5/2010	Maier et al 239/456
D639,903	S	*	6/2011	Plotzitzka et al D23/213
D667,530	S	*	9/2012	Wyne D23/213
D670 357	S	*	11/2012	Langet al $D23/213$

(US)

(73) Assignee: Designetics, Inc., Holland, OH (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: 14 Years

(21) Appl. No.: **29/465,140**

- (22) Filed: Aug. 23, 2013
- (52) **U.S. Cl.**
 - USPC D23/213
- (58) Field of Classification Search

USPC D23/213; D9/723, 724; 239/589, 597, 239/601; 401/55, 266, 205, 206; 118/264

D670,357 S * 11/2012 Lang et al. D23/213

* cited by examiner

Primary Examiner — Robin V Webster
 (74) Attorney, Agent, or Firm — Donald K. Wedding
 (57) CLAIM
 The ornamental design for a fluid applicator, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of our ornamental design for a fluid applicator containing four holes radially spaced 90° apart near the proximal end, two of which are shown. Two additional holes are located on the opposite perspective side view which is identical to FIG. 1.
FIG. 2 is a top view of our design shown in FIG. 1.
FIG. 3 is a side plan view of our design showing one hole, with the other side plan views being identical; and, FIG. 4 is a bottom view of our design shown in FIG. 1.
The applicator is closed at the top end and open at the bottom end.

The fluid applicator is used to apply a fluid to a surface.

See application file for complete search history.

1 Claim, 2 Drawing Sheets



U.S. Patent Oct. 7, 2014 Sheet 1 of 2 US D714,907 S



FIG. 1

U.S. Patent Oct. 7, 2014 Sheet 2 of 2 US D714,907 S



FIG. 2





FIG. 3



FIG. 4