



US00D714969S

(12) **United States Design Patent**
Norwood et al.

(10) **Patent No.:** **US D714,969 S**
(45) **Date of Patent:** **** Oct. 7, 2014**

(54) **WINDOW FLASHING PRODUCT**

(75) Inventors: **Steven A. Norwood**, Louisville, CO
(US); **Adam Osterhoff**, Boulder, CO
(US)

(73) Assignee: **Norwood Architecture, Inc.**, Louisville,
CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/429,452**

(22) Filed: **Aug. 10, 2012**

(51) **LOC (10) Cl.** **25-01**

(52) **U.S. Cl.**
USPC **D25/199; D25/48.2**

(58) **Field of Classification Search**
USPC D25/48.2, 199, 164; 52/58, 60, 61, 62,
52/200

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,822,763	A	2/1958	Berg	
2,974,448	A	3/1961	Weis	
3,416,271	A	12/1968	Heeney	
4,543,753	A	10/1985	Sonneborn et al.	
4,621,466	A	11/1986	Sonneborn et al.	
4,694,612	A	9/1987	Pruden et al.	
4,972,638	A	11/1990	Minter	
5,018,333	A	5/1991	Bruhm	
5,065,553	A	11/1991	Magid	
5,586,415	A	12/1996	Fisher et al.	
D397,810	S *	9/1998	Basset	D25/199
5,946,870	A	9/1999	Bifano et al.	
6,212,834	B1	4/2001	Lindgren	
6,293,064	B1	9/2001	Larson	
6,305,130	B1	10/2001	Ackerman, Jr.	
6,385,925	B1	5/2002	Wark	
6,401,401	B1	6/2002	Williams	
6,401,402	B1	6/2002	Williams	
6,457,279	B1	10/2002	Jacobsen et al.	
6,640,508	B2	11/2003	Lindgren et al.	
6,725,610	B2	4/2004	Murphy et al.	
7,331,145	B2	2/2008	Feucht et al.	
7,673,426	B2	3/2010	Broad et al.	

7,676,996	B2	3/2010	Teodorovich	
7,775,004	B2	8/2010	Allen	
7,797,884	B2	9/2010	Allen	
8,065,839	B2 *	11/2011	Conlin	52/58
8,683,695	B2	4/2014	Rasmussen et al.	
2002/0108326	A1	8/2002	Ackerman, Jr.	
2003/0056444	A1	3/2003	Ackerman, Jr.	
2003/0177712	A1	9/2003	Gatherum	
2004/0163330	A1	8/2004	Crum	
2005/0166471	A1	8/2005	Allen	
2006/0236618	A1	10/2006	Williams	
2008/0178557	A1	7/2008	Parsons et al.	
2008/0229676	A1	9/2008	Allen	
2009/0056241	A1	3/2009	Koessler et al.	
2010/0139178	A1 *	6/2010	Ehrman et al.	52/58
2011/0047888	A1	3/2011	Bonshor	
2011/0072747	A1	3/2011	Tatley et al.	
2012/0144761	A1	6/2012	Teodorovich	

FOREIGN PATENT DOCUMENTS

WO 2004055293 A1 7/2004

OTHER PUBLICATIONS

U.S. Appl. No. 13/572,274 Office Action dated Apr. 23, 2014, 15 pages.

Quickflash Weatherproofing Products, Home Constructions Equipment, Toxic Mold Prevention: Retrieved from the Internet at http://www.quickflashproducts.com/products_eletrical.html on Jun. 20, 2012.

* cited by examiner

Primary Examiner — Doris Clark

(74) *Attorney, Agent, or Firm* — Lathrop & Gage LLP

(57) **CLAIM**

The ornamental design for a window flashing product, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of the window flashing product with an upper flap thereof in an open position, and indicating portions thereof that are illustrated in detail in FIG. 10 and FIG. 11;

FIG. 2 is a front perspective view of the window flashing product of FIG. 1, with the upper flap in a sealed position;





FIG. 3 is a front elevation of the window flashing product of FIG. 1, with the upper flap in the sealed position;
 FIG. 4 is a side elevation of the window flashing product of FIG. 1, with the upper flap in the open position, an opposing side view being a mirror image thereof;
 FIG. 5 is a side elevation of the window flashing product of FIG. 1, with the upper flap in the sealed position, an opposing side view being a mirror image thereof;
 FIG. 6 is a top plan view of the window flashing product of FIG. 1, with the upper flap in the sealed position;
 FIG. 7 is a bottom plan view of the window flashing product of FIG. 1, with the upper flap in the sealed position;
 FIG. 8 is a rear elevation of the window flashing product of FIG. 1;
 FIG. 9 is a rear perspective view of the window flashing product of FIG. 1, with the upper flap in the open position;
 FIG. 10 is a front perspective detail view of an upper corner of the window flashing product of FIG. 1, with the upper flap in the open position;
 FIG. 11 is a front perspective detail view of a lower corner of the window flashing product of FIG. 1;
 FIG. 12 is a front perspective, exploded view that shows environmental structure in the form of an exterior surface of a building with an aperture therein, the window flashing product of FIG. 1 with the upper flap in the open position to be

installed within the aperture, and environmental structure in the form of a window to be installed within the window flashing product;
 FIG. 13 is a front perspective view that shows environmental structure in the form of an exterior surface of a building, the window flashing product of FIG. 1 with the upper flap in the sealed position installed therein; and, environmental structure in the form of a window installed within the window flashing product;
 FIG. 14 is a front perspective view of a second embodiment of the window flashing product;
 FIG. 15 is a front elevation of the window flashing product of FIG. 14; and,
 FIG. 16 is a side elevation of the window flashing product of FIG. 14, a top view being identical thereto, an opposing side view and a bottom view being mirror images thereof.
 In all of the drawings, broken lines indicate environmental structure that forms no part of the claimed design.
 A rear elevation and a front perspective detail view of the second embodiment that is shown in FIGS. 14 through 16 are identical to the rear elevation and front perspective detail view of the first embodiment that are shown in FIG. 8 and FIG. 11 respectively.

1 Claim, 13 Drawing Sheets






FIG. 2




FIG.3




FIG.4



FIG.5




FIG. 6




FIG. 7




FIG.8




FIG. 9




FIG. 10




FIG. 11




FIG.12




FIG. 13




FIG. 14




FIG. 15



FIG. 16