



US00D714995S

(12) **United States Design Patent**
Freschl

(10) **Patent No.:** **US D714,995 S**

(45) **Date of Patent:** **** Oct. 7, 2014**

(54) **FOLDABLE LIGHT DIFFUSER**

(76) Inventor: **Daniel Joel Freschl**, Berkeley, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,205**

(22) Filed: **Feb. 13, 2012**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/128**

(58) **Field of Classification Search**

USPC D26/155, 60, 152, 154, 74, 75, 76, 77,
D26/78, 113, 118, 119, 120, 121, 122, 128,
D26/138, 125, 124, 126, 127, 85, 86, 88, 89,
D26/90, 91, 65, 64, 67, 68, 1, 2, 24, 141,
D26/142, 145, 144, 92, 93, 62, 63, 51, 56,
D26/55, 58, 104, 139, 140, 3; 362/101, 225,
362/634, 246, 326, 249.01-249.11, 220,
362/221, 224, 222, 223, 275, 276, 277, 271,
362/162, 450, 236; 211/10; 439/94, 95,
439/115, 110; D8/380, 396, 394, 72, 354,
D8/349, 373; D6/310, 314, 470; D23/411;
D11/90, 89, 132; D19/96, 90, 77, 78,
D19/75; D13/179, 180, 155

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

890,193	A *	6/1908	Stonebridge	362/162
932,772	A *	8/1909	Fleck	362/162
1,120,024	A *	12/1914	Carney	362/162
D76,437	S *	9/1928	Vande Genachte	D26/130
D110,173	S *	6/1938	Donchian	D26/130
2,408,594	A *	10/1946	Bartha	362/255
D176,921	S *	2/1956	Koepke	D26/130
2,853,598	A *	9/1958	Balthauser	362/282
3,211,906	A *	10/1965	Zucchi	362/360
3,809,310	A *	5/1974	VanderLugt, Jr.	229/110
D232,255	S *	7/1974	Tongson	D26/130

D278,659	S *	4/1985	Lodrick, Sr.	D26/85
4,907,140	A *	3/1990	Overstreet	362/162
D314,835	S *	2/1991	Ebihara	D26/93
5,264,996	A *	11/1993	Bele et al.	362/162
D383,555	S	9/1997	Hardy		
D396,317	S *	7/1998	Pagani	D26/110

(Continued)

Primary Examiner — Kevin Rudzinski

(57) **CLAIM**

I claim the ornamental design for a foldable light diffuser, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the first embodiment of a foldable light diffuser shown in the folded configuration, showing my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a back elevation view thereof;

FIG. 4 is a right side elevation view thereof, the left side elevation view being the same;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan view thereof;

FIG. 7 is a right side elevation view shown with the fastening hitch closed;

FIG. 8 is a front view of a foldable light diffuser in an unfolded configuration;

FIG. 9 is a perspective view of a foldable light diffuser in a partially folded configuration;


FIG. 10 is a perspective view of a foldable light diffuser in a partially folded configuration;

FIG. 11 is a front elevation view of a foldable light diffuser shown attached to a representative light-emitting devices depicted by broken lines; and,

FIG. 12 is a right side elevation view thereof, the left side elevation view being the same.

The broken lines shown in the drawings illustrate portions of light-emitting devices that form no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D714,995 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

5,887,781 A * 3/1999 Marx et al. 229/120.32
6,039,563 A * 3/2000 Hardy 431/291
D521,783 S 5/2006 Nida

D563,589 S * 3/2008 Hariri et al. D26/88
D567,592 S 4/2008 Fite, IV
D607,281 S * 1/2010 Meyers D7/571
D636,114 S * 4/2011 De Lucchi D26/128
D638,570 S * 5/2011 Verelst D26/91

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12