



US00D715127S

(12) **United States Design Patent**
Shargh

(10) **Patent No.:** **US D715,127 S**
(45) **Date of Patent:** **** Oct. 14, 2014**

(54) **HINGE PIN WITH LUBRICATION CHANNEL**

(71) Applicant: **Hossein Molaie Shargh**, Corona, CA (US)

(72) Inventor: **Hossein Molaie Shargh**, Corona, CA (US)

(73) Assignee: **Hampton Products International Corporation**, Foothill Ranch, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/437,101**

(22) Filed: **Nov. 13, 2012**

(51) **LOC (10) Cl.** **08-06**

(52) **U.S. Cl.**
USPC **D8/323; D8/328**

(58) **Field of Classification Search**
USPC D8/323, 327, 328; D23/303; 4/236, 4/240; 16/225, 250, 682, 309, 235, 275, 16/244, 379, 390, 430, 241, 238, 245, 236, 16/243, 242, 385, 331, 274
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D2,283 S *	3/1866	Richardson	D8/323
1,433,095 A *	10/1922	Peary	16/274
1,898,936 A *	2/1933	Brawley	16/274
1,970,059 A *	8/1934	Schotter	285/332
2,588,216 A	3/1952	De Graaf		
2,750,620 A	6/1956	Clarke		
3,181,197 A	5/1965	Sperber		
3,899,905 A *	8/1975	Walters	70/91
4,485,522 A	12/1984	Chen		
4,679,285 A	7/1987	Ballantyne		
D311,677 S *	10/1990	Headrick	D8/323
D328,280 S *	7/1992	Lee	D13/133
5,284,369 A *	2/1994	Kitamura	285/322
D380,037 S *	6/1997	Grantham	D23/262

5,771,538 A	6/1998	Huppert, Sr.		
D396,730 S *	8/1998	Schaupp	D23/259
6,393,662 B1	5/2002	Huang et al.		
6,539,582 B1	4/2003	Chae		
D475,271 S	6/2003	Hannon et al.		
D476,873 S *	7/2003	Carroll	D8/70
D512,897 S *	12/2005	Franchini	D8/323
D524,149 S *	7/2006	Kim	D8/397
D585,916 S *	2/2009	Greenleaf	D15/128
D601,567 S *	10/2009	Lau	D14/432
D620,084 S *	7/2010	Talamantez	D23/262

(Continued)

Primary Examiner — Cynthia Underwood

(74) *Attorney, Agent, or Firm* — Klein, O'Neill & Singh, LLP


(57) **CLAIM**

The ornamental design for a hinge pin with lubrication channel, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a hinge pin with lubrication channel, in accordance with my new design;
 FIG. 2 is a rear elevational view of the hinge pin with lubrication channel shown in FIG. 1;
 FIG. 3 is a left side elevational view of the hinge pin with lubrication channel shown in FIG. 1, the right side elevational view being identical thereto;
 FIG. 4 is a longitudinal cross-sectional view of the hinge pin with lubrication channel taken from line 4-4 in FIG. 1;
 FIG. 5 is a top plan view of the hinge pin with lubrication channel shown in FIG. 1;
 FIG. 6 is a bottom plan view of the hinge pin with lubrication channel shown in FIG. 1; and,
 FIG. 7 is a top perspective view of the hinge pin with lubrication channel shown in FIG. 1, with the hinge pin shown installed in a hinge, the hinge being shown in broken lines. The broken lines illustrate environmental structure which forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D715,127 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D629,025 S * 12/2010 Greenleaf D15/128
D633,774 S * 3/2011 Spragg D8/323
7,934,927 B2 * 5/2011 Yazdi 433/18

D649,006 S 11/2011 Johnson et al.
8,701,247 B1 * 4/2014 Shargh 16/274
2005/0072728 A1 * 4/2005 Chang 210/446
2009/0307873 A1 12/2009 Chen

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7