



US00D715145S

(12) **United States Design Patent**
Yamagishi et al.

(10) **Patent No.:** **US D715,145 S**
(45) **Date of Patent:** **** Oct. 14, 2014**

- (54) **MOUTH FOR STORAGE BAG**
- (75) Inventors: **Toshiyuki Yamagishi**, Omachi (JP);
Kanehide Oota, Omachi (JP); **Takeshi Kojima**, Yokohama (JP)
- (73) Assignee: **Hosokawa Yoko Co., Ltd.**, Tokyo (JP)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/431,965**
- (22) Filed: **Sep. 12, 2012**
- (30) **Foreign Application Priority Data**
Mar. 14, 2012 (JP) 2012-005773
- (51) **LOC (10) Cl.** **09-07**
- (52) **U.S. Cl.**
USPC **D9/447**; D9/434; D23/259; D23/262
- (58) **Field of Classification Search**
CPC B22D 41/50; B65D 47/06; B65D 41/34;
A61M 39/10; A45F 3/20
USPC D23/255-259, 269, 386, 387, 390, 393;
D9/707-710, 723, 724, 447, 440, 434;
D6/542; D7/510, 397, 398; 277/602,
277/608, 625, 626; 285/95, 109, 336, 910,
285/918
See application file for complete search history.

D371,189 S *	6/1996	Dharamsi et al.	D23/269
D377,969 S *	2/1997	Grantham	D23/262
D402,354 S *	12/1998	Strong et al.	D23/259
D427,667 S *	7/2000	Stout, Jr.	D23/262
D427,668 S *	7/2000	Stout, Jr.	D23/262
D435,090 S *	12/2000	Stout, Jr.	D23/269
D474,689 S *	5/2003	Dinsky	D9/440
D475,447 S *	6/2003	Stout, Jr.	D23/393
D476,074 S *	6/2003	Stout, Jr.	D23/393
D487,227 S *	3/2004	Haley	D9/439
D488,859 S *	4/2004	Stout, Jr.	D23/393
D521,147 S *	5/2006	Sandman et al.	D23/393
D551,336 S *	9/2007	Haggkvist	D23/386
D623,516 S *	9/2010	Sayers	D9/448
D682,690 S *	5/2013	Bowes	D9/439
D705,062 S *	5/2014	Jo et al.	D9/453
2011/0064537 A1 *	3/2011	Wrigley	411/315

* cited by examiner

Primary Examiner — Eric Goodman
Assistant Examiner — Brett Miller

(74) *Attorney, Agent, or Firm* — Millen, White, Zelano & Branigan, P.C.

(57) **CLAIM**

The ornamental design for a mouth for a storage bag, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a mouth for a storage bag showing my new design; the rear elevational view is the same as the front elevational view;
 FIG. 2 is a right side elevational view thereof; the left side elevational view is the same as the right side elevational view;
 FIG. 3 is a top plan view thereof;
 FIG. 4 is a bottom plan view thereof;
 FIG. 5 is a cross-sectional view thereof taken in the direction of arrows 5-5 in FIG. 1; and,
 FIG. 6 is a cross-sectional view thereof taken in the direction of arrows 6-6 in FIG. 2.

1 Claim, 5 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- D120,464 S * 5/1940 Martin D9/434
- 2,872,060 A * 2/1959 Brune et al. 215/364
- D216,386 S * 12/1969 Suggs D9/434
- D227,558 S * 7/1973 Matthew D9/434
- D261,212 S * 10/1981 Mills D7/700
- D296,524 S * 7/1988 Schneider D9/439
- D359,683 S * 6/1995 Beach D9/434
- D370,629 S * 6/1996 Lynch D9/439




Fig.1





Fig.2




Fig.3




Fig.4




Fig.5




Fig.6

