



US00D715174S

(12) **United States Design Patent**
Heald

(10) **Patent No.:** **US D715,174 S**
(45) **Date of Patent:** **** Oct. 14, 2014**

(54) **SECURITY BARRIER**

- (71) Applicant: **Heald Technologies Ltd.**, Hornsea (GB)
- (72) Inventor: **Jonathan Roderic Heald**, Hornsea (GB)
- (73) Assignee: **Heald Technologies Ltd.**, Hornsea (GB)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/489,185**
- (22) Filed: **Apr. 28, 2014**

Related U.S. Application Data

- (63) Continuation of application No. 13/641,831, filed as application No. PCT/GB2011/000575 on Apr. 14, 2011.

(30) **Foreign Application Priority Data**

Apr. 19, 2010 (GB) 1006439.2

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/113.3**

(58) **Field of Classification Search**
USPC D10/113.3; 404/6; 52/459; 49/55, 404;
318/264; 256/73
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D341,098 S * 11/1993 Yodock D10/113.3
5,498,101 A * 3/1996 Braverman 404/6

(Continued)

FOREIGN PATENT DOCUMENTS

EP 1277885 1/2003
GB 2296277 6/1996

(Continued)

OTHER PUBLICATIONS

International Search Report dated Jul. 20, 2011 issued in corresponding International Application No. PCT/GB2011/000575.

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Lempia Summerfield Katz LLC

(57) **CLAIM**

The ornamental design for a “security barrier,” as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and right side perspective view of my new design for a security barrier, the security barrier being shown with the barrier portion in a raised or deployed condition.

FIG. 2 is a top view of the security barrier shown in FIG. 1. FIG. 3 is a front view of the security barrier shown in FIG. 1. FIG. 4 is a rear view of the security barrier shown in FIG. 1. FIG. 5 is a right side view of the security barrier shown in FIG. 1, the left side view being a mirror image thereof.


FIG. 6 is a top, front, and right side perspective view of the security barrier shown in FIG. 1, the security barrier being shown with the barrier portion in a lowered or stowed condition.

FIG. 7 is a top view of the security barrier shown in FIG. 6. FIG. 8 is a front view of the security barrier shown in FIG. 6. FIG. 9 is a rear view of the security barrier shown in FIG. 6; and,

FIG. 10 is a right side view of the security barrier shown in FIG. 6, the left side view being a mirror image thereof.

Portions of the security barrier shown in dashed lines in the drawings form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D715,174 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

5,540,027 A * 7/1996 Christensen et al. 52/459
6,016,629 A * 1/2000 Sylvester et al. 49/55
D421,235 S * 2/2000 Rausch D10/113.3
6,346,786 B1 * 2/2002 Wood et al. 318/264
6,751,907 B1 * 6/2004 De Gasperis 49/404
7,114,873 B2 10/2006 Rastegar et al.

2008/0226391 A1* 9/2008 Phillips et al. 404/6
2009/0101878 A1* 4/2009 Ruigrok et al. 256/73

FOREIGN PATENT DOCUMENTS

GB 2367085 3/2002
WO WO2009123485 10/2009

* cited by examiner




FIG. 1

FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10