



US00D715204S

(12) **United States Design Patent**
Peltola et al.

(10) **Patent No.:** **US D715,204 S**
(45) **Date of Patent:** **** Oct. 14, 2014**

(54) **DOOR PAD**

(71) Applicants: **Wallace A. Peltola**, Sammamish, WA
(US); **Jonathan Duncan**, Seattle, WA
(US)

(72) Inventors: **Wallace A. Peltola**, Sammamish, WA
(US); **Jonathan Duncan**, Seattle, WA
(US)

(73) Assignee: **PACCAR Inc**, Bellevue, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/448,499**

(22) Filed: **Mar. 12, 2013**

(51) **LOC (10) Cl.** **12-08**

(52) **U.S. Cl.**
USPC **D12/195**

(58) **Field of Classification Search**
USPC D12/195, 193, 414, 190, 196; 180/190;
296/190.01–191, 153, 37.1–37.13,
296/149, 146.1; D15/17, 28; D10/46, 98,
D10/102–103; 49/501–502; D8/302–303;
280/750–752

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D497,337 S *	10/2004	Takagi et al.	D12/195
D503,913 S *	4/2005	Wyszogrod	D12/195
D518,763 S *	4/2006	Sudo	D12/195
D519,429 S *	4/2006	Miyashita	D12/195
D519,890 S *	5/2006	Sakae	D12/163
D521,917 S *	5/2006	Takagi et al.	D12/195
D529,425 S *	10/2006	Maazono et al.	D12/195
D533,821 S *	12/2006	Tamagawa et al.	D12/195

D534,470 S *	1/2007	Tsuchiya et al.	D12/195
D534,849 S *	1/2007	Tamagawa et al.	D12/195
7,731,269 B2 *	6/2010	Sakamoto	296/153
D672,300 S *	12/2012	Matsuda et al.	D12/195
D675,142 S *	1/2013	Matsuo et al.	D12/195

OTHER PUBLICATIONS

“Interiors,” Kenworth Truck Company, Kirkland, Washington, 2005, 16-page brochure.

“T660,” Kenworth Truck Company, Kirkland, Washington, 2009, 36-page brochure.

“T800,” Kenworth Truck Company, Kirkland, Washington, 2009, 28-page brochure.

“W900,” Kenworth Truck Company, Kirkland, Washington, 2009, 28-page brochure.

* cited by examiner

Primary Examiner — Katrina A Betton

(74) *Attorney, Agent, or Firm* — Christensen O’Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a door pad, as shown and described.

DESCRIPTION


FIG. 1 is a perspective view of a door pad according to our new design;

FIG. 2 is a top plan view of the door pad of FIG. 1; and, FIG. 3 is a front elevational view of the door pad of FIG. 1.

The rear of the door pad is unornamented. FIGS. 1-3 illustrate a first embodiment of our novel design suitable for use on the left side of a vehicle. Our novel design also includes a second embodiment suitable for use on the right side of a vehicle, which is mirrored symmetrical to FIGS. 1-3 and therefore not separately illustrated.

The broken lines shown in the drawings illustrate portions of the door pad that form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.