



US00D715332S

(12) **United States Design Patent**
Kuwae

(10) **Patent No.:** **US D715,332 S**
(45) **Date of Patent:** **** Oct. 14, 2014**

(54) **PORTION OF TRACTOR**

(71) Applicant: **Kubota Corporation**, Osaka (JP)

(72) Inventor: **Junta Kuwae**, Sakai (JP)

(73) Assignee: **Kubota Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/468,428**

(22) Filed: **Sep. 30, 2013**

(51) **LOC (10) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28; D15/31**

(58) **Field of Classification Search**

USPC D15/10, 11, 13-17, 28, 22-26, 31;
D12/173; 56/13.3, 13.4, 15.8, 15.9,
56/320.1; 180/89.1, 89.12, 900, 69.2,
180/68.1, 69.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D246,370	S	*	11/1977	Lorenz		D15/31
D297,330	S	*	8/1988	Monehaie et al.		D15/31
5,490,574	A	*	2/1996	Ishiizumi et al.		180/68.1
D371,372	S	*	7/1996	Westimayer et al.		D15/31
D381,025	S	*	7/1997	Bataille		D15/31
D383,470	S	*	9/1997	Westimayer et al.		D15/31
D389,492	S	*	1/1998	Schmidt et al.		D15/31
D413,905	S	*	9/1999	Schmidt et al.		D15/31
D448,037	S	*	9/2001	Westimayer et al.		D15/31
D460,087	S	*	7/2002	Crookes et al.		D15/28
D473,881	S	*	4/2003	Kuwae		D15/28
D474,206	S	*	5/2003	Kuwae		D15/31
D483,383	S	*	12/2003	Crookes et al.		D15/31
D488,488	S	*	4/2004	Montgomery et al.		D15/31
D488,489	S	*	4/2004	Montgomery et al.		D15/31
D498,485	S	*	11/2004	Kuwae		D15/31
D522,537	S	*	6/2006	Higashikawa		D15/31

D532,022	S	*	11/2006	Kuwae		D15/31
D554,669	S	*	11/2007	Crookes et al.		D15/31
D557,714	S	*	12/2007	Higashikawa		D15/31
D558,238	S	*	12/2007	Kuwae		D15/31
D558,799	S	*	1/2008	Higashikawa		D15/31
D560,693	S	*	1/2008	Moen et al.		D15/31
D570,382	S	*	6/2008	Higashikawa		D15/31
D581,955	S	*	12/2008	Matsumoto et al.		D15/31
D586,828	S	*	2/2009	Staines et al.		D15/31

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Masuvalley & Partners

(57) **CLAIM**

The ornamental design for a portion of tractor, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the portion of tractor according to the invention;

FIG. 2 is a front elevation view of the portion of tractor of FIG. 1;

FIG. 3 is a rear elevation view of the portion of tractor of FIG. 1;

FIG. 4 is a right side elevation view of the portion of tractor of FIG. 1;

FIG. 5 is a left side elevation view of the portion of tractor of FIG. 1;


FIG. 6 is a top plan view of the portion of tractor of FIG. 1;

FIG. 7 is a bottom plan view of the portion of tractor of FIG. 1;

FIG. 8 is an enlarged, partial view of an exemplary mesh used in the portion of the tractor illustrated in FIGS. 1-7; and, FIG. 9 is a perspective view of the portion of tractor of FIG. 1 as employed on a tractor.

The broken line disclosure in parts of the drawings is included for the purpose of illustrating use and environment and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D591,777 S * 5/2009 Kokitkar et al. D15/31

D594,038 S * 6/2009 Shimomura D15/31

D596,205 S * 7/2009 Kawashiri et al. D15/31

D602,507 S * 10/2009 Kushita D15/31

D605,669 S * 12/2009 Matsumoto et al. D15/31

D611,963 S * 3/2010 Kuwae et al. D15/31

D642,597 S * 8/2011 Krogh et al. D15/31

D642,598 S * 8/2011 Wikner et al. D15/31

D655,317 S * 3/2012 Hagele et al. D15/31

D655,318 S * 3/2012 Hagele et al. D15/31

D655,319 S * 3/2012 Hagele et al. D15/31

D690,327 S * 9/2013 Kim et al. D15/31

D690,328 S * 9/2013 Cha et al. D15/31

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

