



US00D715613S

(12) **United States Design Patent**
Pugh

(10) **Patent No.:** **US D715,613 S**

(45) **Date of Patent:** **** Oct. 21, 2014**

(54) **WEDGE**

(71) Applicant: **Charles H. Pugh**, Wichita Falls, TX
(US)

(72) Inventor: **Charles H. Pugh**, Wichita Falls, TX
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/460,242**

(22) Filed: **Jul. 9, 2013**

(51) **LOC (10) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/47**

(58) **Field of Classification Search**
CPC B27G 19/00; B27G 19/08; B27L 7/00;
B25G 1/12; B25G 1/00; B25D 3/00; A61B
17/1604; A01K 97/01; H02G 1/06
USPC D8/14, 45, 47, 102, 107; D32/46, 49;
30/167, 167.1, 168, 153, 342;
D24/146-147, 149, 152, 154

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

637,045	A *	11/1899	Sullivan	30/167
D34,139	S *	2/1901	Swan	D8/47
D34,215	S *	3/1901	Swan	D8/47
841,517	A *	1/1907	Harris	30/167
894,303	A *	7/1908	Wood	30/167
D45,277	S *	2/1914	Vaughan	D8/47
D45,527	S *	3/1914	Graham	D8/47
1,408,368	A *	2/1922	Lewis	30/353
1,409,638	A *	3/1922	Zetterman	30/167
1,471,461	A *	10/1923	Harmon	30/168
1,529,683	A *	3/1925	Anderson	30/167
1,569,164	A *	1/1926	Widmer	30/167
1,598,603	A *	9/1926	Cook	76/119
1,604,007	A *	10/1926	Wigren	279/99

2,271,290	A *	1/1942	Echikson	30/342
2,412,783	A *	12/1946	Rurak	30/164.5
2,735,179	A *	2/1956	Stanton	30/168
D180,839	S *	8/1957	Mohns	D8/47
D182,850	S *	5/1958	Reymann	D24/147
3,377,052	A *	4/1968	Hagen	254/104
D213,029	S *	12/1968	Wildgen	D8/102
3,803,667	A *	4/1974	Rose	606/1
D237,037	S *	10/1975	Brunosson	D8/47
D256,548	S *	8/1980	Grunstad	D8/102
4,489,795	A *	12/1984	Leidy	175/320
4,497,355	A *	2/1985	Smith	30/167
D310,015	S *	8/1990	Evenson	D8/102
D318,115	S *	7/1991	Michelson	D24/147
D324,424	S *	3/1992	Michelson	D24/147
D346,103	S *	4/1994	Warner	D8/47
D494,824	S *	8/2004	Hernandez	D8/47

(Continued)

Primary Examiner — Susan E Krakower

Assistant Examiner — Roselynn Cody

(74) *Attorney, Agent, or Firm* — Gary K. Price

(57) **CLAIM**

The ornamental design for a wedge, as shown and described.

DESCRIPTION

FIG. 1 is a top view of my wedge.

FIG. 2 is a side view of the wedge.

FIG. 3 is an end view from one end of the wedge.

FIG. 4 is an end view from the opposite end of the wedge.

FIG. 5 is the end view of FIG. 4, illustrating a handle grip shown in broken lines; and,

FIG. 6 is the top view of FIG. 1, illustrating a handle grip shown in broken lines.

The broken lines showing a handle grip in FIGS. 5 and 6 illustrate optional environment and form no part of the claim.

The broken line showing of the handle end in FIGS. 1, 2, and 4-6 illustrates a feature of the wedge that also forms no part of the claim.

1 Claim, 2 Drawing Sheets



US D715,613 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

8,420,920 B2 *	4/2013	Kieft	84/453
2007/0062046 A1 *	3/2007	Hsu	30/167
2012/0222230 A1 *	9/2012	McNamara	15/246.2
7,257,896 B2 *	8/2007	Kurtz	30/167
D596,472 S *	7/2009	Cook	D8/47

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6

