

US00D715661S

(12) **United States Design Patent**
McKaughan et al.

(10) **Patent No.:** **US D715,661 S**
(45) **Date of Patent:** **** Oct. 21, 2014**

- (54) **SENSOR HOUSING**
- (71) Applicant: **FLIR Systems, Inc.**, Wilsonville, OR (US)
- (72) Inventors: **Stephen V. McKaughan**, The Villages, FL (US); **Nicholas J. Lagadinos**, Billerica, MA (US)
- (73) Assignee: **FLIR Systems, Inc.**, Wilsonville, OR (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/455,403**
- (22) Filed: **May 20, 2013**
- (51) **LOC (10) Cl.** **10-04**
- (52) **U.S. Cl.**
USPC **D10/53**; D16/203
- (58) **Field of Classification Search**
CPC G01C 3/08; G02B 13/009; G02B 15/00; G03B 17/00; G03B 17/561; G03B 15/00; G03B 37/10; G08B 13/19619; G08B 13/1963; G08B 13/19697; G08B 17/00; H04N 5/2251; H04N 5/23296; H04N 5/247; H04N 5/33; H04N 5/2254; H04N 5/2252
USPC D10/52, 53; D16/200, 202–204, D16/208–210; 348/143, 151, 373–376; 358/909.1; 396/535–541, 427
See application file for complete search history.

- D502,196 S 2/2005 Miyazaki
- D517,585 S 3/2006 Iino et al.
- D518,080 S 3/2006 Uehara
- D536,357 S 2/2007 Koby
- D542,319 S 5/2007 Ishida et al.
- D545,860 S 7/2007 Miyazaki
- D550,738 S 9/2007 Hsia et al.
- D552,148 S 10/2007 Yamakawa et al.
- D552,650 S 10/2007 Yamakawa et al.
- D556,803 S 12/2007 Ishida
- D562,870 S 2/2008 Komatsu et al.
- D574,870 S 8/2008 Takahashi
- 7,435,019 B2 10/2008 Lee
- 7,446,813 B2 11/2008 Nakamoto et al.
- D608,811 S 1/2010 Frank et al.
- D609,732 S 2/2010 Frank et al.
- D671,157 S * 11/2012 Richardson et al. D16/202
- 8,687,111 B2 * 4/2014 McKaughan et al. 348/373
- 2008/0267611 A1 10/2008 Huang

* cited by examiner

Primary Examiner — Antoine D Davis
(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP



(57) **CLAIM**
The ornamental design for a sensor housing, as shown and described.

DESCRIPTION

FIG. 1 is a front-left-top perspective view of a sensor housing showing my new design;
FIG. 2 is a rear-left-top perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a left side elevational view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines shown in the drawings are for the purpose of illustrating environmental matter and/or illustrating portions of the sensor housing that form no part of the claimed design.

1 Claim, 8 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
D388,450 S 12/1997 Hamano et al.
D399,517 S 10/1998 Hasegawa
D402,677 S 12/1998 Hiraguchi
6,525,766 B1 2/2003 Ikoma et al.
D473,888 S 4/2003 Jones et al.
D489,742 S 5/2004 Nagai






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8