



US00D715699S

(12) **United States Design Patent**
Reiter et al.

(10) **Patent No.:** **US D715,699 S**

(45) **Date of Patent:** **** Oct. 21, 2014**

(54) **CHAINRING**

(71) Applicants: **Markus Reiter**, Schweinfurt (DE);
Raymond Florczyk, Stammheim (DE);
Henrik Braedt, Hambach (DE)

(72) Inventors: **Markus Reiter**, Schweinfurt (DE);
Raymond Florczyk, Stammheim (DE);
Henrik Braedt, Hambach (DE)

(73) Assignee: **SRAM, LLC**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/471,384**

(22) Filed: **Oct. 31, 2013**

Related U.S. Application Data

(63) Continuation of application No. 13/311,735, filed on Dec. 6, 2011.

(51) **LOC (10) Cl.** **12-11**

(52) **U.S. Cl.**
USPC **D12/123**

(58) **Field of Classification Search**
CPC F16H 7/06; F16H 55/30; F16H 55/303;
F16F 55/12; B62M 9/105
USPC D12/111, 122-127; 474/77, 80, 116,
474/118, 152, 155-158, 160-164, 202;
280/288.4, 304.3, 304.4; 74/594.2
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D435,492 S * 12/2000 Shy D12/123
D478,849 S * 8/2003 Griffin et al. D12/123

(Continued)

FOREIGN PATENT DOCUMENTS

JP 2012036982 A * 2/2012 F16H 55/30
JP 2013024307 A * 2/2013 F16H 55/30
JP 2013079698 A * 5/2013 F16H 55/30

Primary Examiner — Philip S. Hyder

Assistant Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Milan Milosevic; Lisa Serdynski; Steven Courtright


(57) **CLAIM**

The ornamental design for a chainring, as shown and described.

DESCRIPTION

FIG. 1 is a rear perspective view of a chainring showing our new design, with a crank arm and chain shown as environment;
FIG. 2 is a rear perspective view of a portion of the chainring in FIG. 1, wherein a chain is shown as environment;
FIG. 3 is front perspective view of a portion of the chainring in FIG. 1, wherein a chain is shown as environment;
FIG. 4 is a close up view of the right side of the chainring portion encompassed by the broken line circle in FIGS. 1, 2 and 3;
FIG. 5 is a close up view of the left side of the chainring portion encompassed by the broken line circle in FIGS. 1, 2 and 3;
FIG. 6 is a close up front view of one of the teeth of the chainring;
FIG. 7 is a close up rear view of the tooth of FIG. 6;
FIG. 8 is a top plan view of a portion of the chainring, wherein the bottom plan view is a mirror image thereof;
FIG. 9 is a rear view of a portion of the chainring;
FIG. 10 is a right side view of a portion of the chainring; and, FIG. 11 is a perspective view of a portion of the chainring.
Our design is a chainring characterized by a plurality of teeth formed about the periphery thereof. Shading and/or dashed lines are not features or part of the design, but are used to illustrate surface contours or environment in the drawings. The broken lines shown in the drawings illustrate environmental structure and portions of the chainring that forms no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D540,718 S *	4/2007	Wickliffe	D12/123	D599,718 S *	9/2009	Wickliffe et al.	D12/123
D599,255 S *	9/2009	Wickliffe et al.	D12/123	D599,719 S *	9/2009	Wickliffe et al.	D12/123
D599,716 S *	9/2009	Wickliffe et al.	D12/123	D607,784 S *	1/2010	Gisbert	D12/123
D599,717 S *	9/2009	Wickliffe et al.	D12/123	7,686,721 B2 *	3/2010	Tabe et al.	474/152
				2013/0072334 A1 *	3/2013	Braedt	474/156
				2013/0139642 A1 *	6/2013	Reiter et al.	74/594.2
				2013/0184110 A1 *	7/2013	Reiter	474/152

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11