



US00D715874S

(12) **United States Design Patent**
Norman et al.

(10) **Patent No.:** **US D715,874 S**

(45) **Date of Patent:** **** Oct. 21, 2014**

(54) **BEAM COMPONENT FOR A CONSTRUCTION KIT**

(71) Applicant: **Innovation First, Inc.**, Greenville, TX (US)

(72) Inventors: **David Anthony Norman**, Greenville, TX (US); **Robert H. Mimplitch, III**, Rowlett, TX (US); **Paul David Copioli**, Rockwall, TX (US); **Gregory James Lavender**, Rockwall, TX (US); **Aren Calder Hill**, Rockford, IL (US); **Douglas Michael Galletti**, Allen, TX (US); **John Edward Vielkind-Neun**, Rockwall, TX (US); **Arthur Philip Dutra, IV**, Greenville, TX (US)

(73) Assignee: **Innovation First, Inc.**, Greenville, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/483,323**

(22) Filed: **Feb. 27, 2014**

Related U.S. Application Data

(62) Division of application No. 29/451,721, filed on Apr. 8, 2013, now Pat. No. Des. 707,306.

(51) **LOC (10) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/504**; D21/486

(58) **Field of Classification Search**
CPC A63H 33/00; A63H 33/04; A63H 33/06; A63H 33/08; A63H 33/10; A63H 33/12; A63H 33/14; A63F 9/08; A63F 9/12
USPC D21/484, 485, 486, 488, 489, 491, 494, D21/495, 499, 500-504; 446/69, 85, 446/102-128; 434/208, 259, 403; 273/153, 273/156, 160; 428/174

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,611,609 A * 10/1971 Reijnhard 446/121
D317,955 S * 7/1991 Olsen D21/502

(Continued)

Primary Examiner — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Adam K. Sacharoff; Much Shelist

(57) **CLAIM**

The ornamental design for a beam component for a construction kit, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a beam component for a construction kit in accordance with an embodiment of the invention;

FIG. 2 is a rear perspective view of FIG. 1;

FIG. 3 is a top side perspective view of FIG. 1;

FIG. 4 is a bottom side view of FIG. 1;

FIG. 5 is a right side view of FIG. 1;

FIG. 6 is a left side view of FIG. 1;

FIG. 7 is a front side view of FIG. 1;

FIG. 8 is a rear side view of FIG. 1; ps FIG. 9 is a front perspective view of a beam component for a construction kit in accordance with a 2nd embodiment of the invention;

FIG. 10 is a rear perspective view of FIG. 9;

FIG. 11 is a top side perspective view of FIG. 9;

FIG. 12 is a bottom side view of FIG. 9;

FIG. 13 is a right side view of FIG. 9;



FIG. 14 is a left side view of FIG. 9;

FIG. 5 is a front side view of FIG. 9; and,

FIG. 16 is a rear side view of FIG. 9.

The broken lines are for environmental purposes only and form no part of the claimed embodiments and design.

1 Claim, 16 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D374,257 S *	10/1996	Schmidt et al.	D21/486	7,044,825 B2 *	5/2006	Glickman et al.	446/121
D374,465 S	10/1996	Schmidt		D528,608 S	9/2006	Kossmann	
5,816,882 A	10/1998	Guegan et al.		D553,199 S	10/2007	Glickman et al.	
D406,611 S	3/1999	Holm		D611,107 S	3/2010	Schmidt	
6,461,215 B1 *	10/2002	Kunz et al.	446/107	D616,505 S *	5/2010	Kossmann	D21/501
6,682,385 B2 *	1/2004	Atzen et al.	446/124	D616,506 S *	5/2010	Kossmann	D21/501
				D702,772 S *	4/2014	Jensen	D21/486
				D706,363 S *	6/2014	Norman et al.	D21/491

* cited by examiner




FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14




FIGURE 15




FIGURE 16