

US00D715992S

(12) **United States Design Patent**  
**Schroeder**

(10) **Patent No.:** **US D715,992 S**

(45) **Date of Patent:** **\*\* Oct. 21, 2014**

(54) **ARCHITECTURAL STRUCTURE FOR LED LIGHT**

(71) Applicant: **Kenneth James Schroeder**, Gilbert, AZ (US)

(72) Inventor: **Kenneth James Schroeder**, Gilbert, AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/462,350**

(22) Filed: **Aug. 1, 2013**

(51) **LOC (10) Cl.** ..... **26-99**

(52) **U.S. Cl.**  
USPC ..... **D26/138**

(58) **Field of Classification Search**  
CPC ..... F21Y 2103/00; F21Y 2103/003; F21Y 2103/006; F21Y 2105/001; F21Y 2105/003; F21Y 2105/008; G02B 2006/0098; H04N 1/0281; H04N 1/02845; H04N 1/02865; H04N 1/0288  
USPC ..... D26/24, 26, 39, 42, 67, 68, 72, 74, 75, D26/79, 96, 108, 109, 113, 118, 129, 138, D26/140, 141, 142; D13/180; 362/23.07, 362/23.09, 23.16, 184, 217.01, 217.02, 362/217.05, 217.08, 217.09, 249, 260, 362/311.02, 555, 612, 614, 800  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,950,844 A \* 4/1976 Wisbey ..... 313/500

D596,778 S \* 7/2009 Yamazato ..... D26/76  
D602,449 S \* 10/2009 Kim et al. .... D13/180  
D611,188 S \* 3/2010 Boyer et al. .... D26/138  
D636,923 S \* 4/2011 De Bevilacqua ..... D26/85  
D645,189 S \* 9/2011 Howis et al. .... D26/69  
D693,051 S \* 11/2013 Klu ..... D26/138  
D695,953 S \* 12/2013 Klu ..... D26/138  
2005/0201088 A1\* 9/2005 Stach et al. .... 362/249  
2013/0058076 A1\* 3/2013 Ni ..... 362/184

\* cited by examiner

*Primary Examiner* — Deanna L Pratt

*Assistant Examiner* — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Gulf Coast Intellectual Property Group

(57) **CLAIM**


The ornamental design for an architectural structure for a LED light, as shown and described.


**DESCRIPTION**

FIG. 1 is a left side view of the present invention, FIG. 2 is a right side view of the present invention, FIG. 3 is a top view of the present invention, FIG. 4 is a bottom view of the present invention, FIG. 5 is a front view of the present invention; and, FIG. 6 is back view of the present invention.


The broken lines in the drawings illustrate the environment of the architectural structure for LED light and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*



*FIG. 2*



*FIG. 3*



*FIG. 4*




FIG. 5




FIG. 6