



US00D716019S

(12) **United States Design Patent**
Astin

(10) **Patent No.:** **US D716,019 S**
(45) **Date of Patent:** **** Oct. 28, 2014**

(54) **PROSTHETIC PHALLUS RETENTION HARNESS WITH STRAPS**

(76) Inventor: **Cole Astin**, Los Angeles, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/422,266**

(22) Filed: **May 17, 2012**

(51) **LOC (10) Cl.** **02-01**

(52) **U.S. Cl.**
USPC **D2/711**

(58) **Field of Classification Search**

USPC D2/700, 701, 702, 703, 704, 705, 711,
D2/712, 713, 714, 731, 738, 742;
D24/200; 2/46, 67, 69, 78.1, 78.2,
2/78.3, 78.4, 238, 400, 401, 402, 403,
2/404, 405; 600/38, 41; 602/67

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

594,673	A *	11/1897	Bennett	602/70
1,020,588	A *	3/1912	West	602/70
1,119,944	A *	12/1914	Fritsch	66/177
1,159,362	A *	11/1915	Cornell	604/399
1,477,187	A *	12/1923	Rayne	602/71
1,477,565	A *	12/1923	Jenkins	602/70
1,561,888	A *	11/1925	Stengel	602/70
1,868,610	A *	7/1932	Lane	602/70
2,264,934	A *	12/1941	Cronk	600/41
2,266,062	A *	12/1941	Montmarquet	602/72
RE22,880	E *	5/1947	Morrison et al.	602/67
2,427,428	A *	9/1947	Vitale	602/70
2,686,517	A *	8/1954	Boyd	602/70
2,951,481	A *	9/1960	Gordon	2/400
4,453,541	A *	6/1984	Castelli et al.	602/72
4,679,554	A *	7/1987	Markham	602/70

5,479,942	A *	1/1996	DiMatteo	128/846
6,849,041	B2 *	2/2005	Astin	600/38
2008/0109945	A1 *	5/2008	Xia	2/403

* cited by examiner

Primary Examiner — Karen E Eldridge Powers

(74) *Attorney, Agent, or Firm* — O'Connell Law Firm;
Thomas P. O'Connell

(57) **CLAIM**



I claim the new and ornamental design for a prosthetic phallus retention harness with straps, as shown.

DESCRIPTION

FIG. 1 is a view in front elevation of a prosthetic phallus retention harness with straps showing my new design; FIG. 2 is a view in rear elevation of the prosthetic phallus retention harness with straps of FIG. 1; FIG. 3 is a top perspective view of the prosthetic phallus retention harness with straps of FIG. 1; FIG. 4 is a bottom plan view of the prosthetic phallus retention harness with straps of FIG. 1; FIG. 5 is a view in front elevation of the prosthetic phallus retention harness with straps of FIG. 1 in an inside-out configuration; FIG. 6 is a view in rear elevation of the prosthetic phallus retention harness with straps of FIG. 1 in an inside-out configuration; FIG. 7 is a view in front elevation of the prosthetic phallus retention harness with straps of FIG. 1 with the front flaps opened; and, FIG. 8 is a view in front elevation of the prosthetic phallus retention harness with straps of FIG. 1 in an inside-out configuration with the rear flap opened.

The broken lines are stitch lines and form a part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8