



US00D716667S

(12) **United States Design Patent**
James et al.

(10) **Patent No.:** **US D716,667 S**
(45) **Date of Patent:** **** Nov. 4, 2014**

- (54) **FLEXIBLE POUCH**
- (71) Applicants: **Timothy James**, Brooklyn, NY (US);
Haley A. Lowry, Houston, TX (US); **Jill M. Martin**, Brazoria, TX (US)
- (72) Inventors: **Timothy James**, Brooklyn, NY (US);
Haley A. Lowry, Houston, TX (US); **Jill M. Martin**, Brazoria, TX (US)
- (73) Assignee: **Dow Global Technologies LLC**,
Midland, MI (US)

6,705,492	B2	3/2004	Lowry	
6,880,728	B1	4/2005	Moisio et al.	
6,895,729	B2	5/2005	Post et al.	
7,261,221	B2	8/2007	Awbrey et al.	
D573,897	S *	7/2008	Berman	D9/708
D587,122	S *	2/2009	Herstol et al.	D9/529
D603,957	S *	11/2009	Sato et al.	D24/118
D609,101	S *	2/2010	Herstol et al.	D9/529
D626,857	S *	11/2010	Spanjaard	D9/631
D631,363	S *	1/2011	Herstol et al.	D9/557

(Continued)

(**) Term: **14 Years**

EP	0371307	A1	6/1990
JP	H0741010	A	2/1995

(Continued)

(21) Appl. No.: **29/446,105**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Feb. 20, 2013**

OTHER PUBLICATIONS

(51) **LOC (10) Cl.** **09-05**

Machine translation of JP2000335594, dated Dec. 5, 2000.

(52) **U.S. Cl.**
USPC **D9/709**

(Continued)

(58) **Field of Classification Search**
USPC D9/702-714, 429-432, 447, 720, 414,
D9/434-435, 696, 716, 771, 522, 571-575,
D9/682, 738-747, 516-517, 529-530,
D9/547-549, 569, 537-538, 544, 503-505,
D9/545; 383/6, 9, 22, 96, 61.1, 80-81,
383/104, 901, 63, 203, 107, 119, 120, 123;
D24/118, 207; 222/92, 107, 206;
604/410, 403; 220/495.03, 669, 675;
215/381-385, 12.1; D3/202, 303, 232,
D3/244

Primary Examiner — Caron D Veynar
Assistant Examiner — Abraham Bahta
(74) *Attorney, Agent, or Firm* — Whyte Hirschboeck Dudek
S.C.

(57) **CLAIM**
The ornamental design for a flexible pouch, as shown and
described.

See application file for complete search history.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,121	S *	1/1977	Ralston et al.	D24/118
D304,546	S *	11/1989	Cattach	D9/708
4,969,580	A	11/1990	Mikhail	
4,974,762	A	12/1990	Boretsky et al.	
5,307,955	A	5/1994	Viegas	
D360,824	S *	8/1995	Ossendryver	D9/709
5,579,945	A	12/1996	Ichikawa et al.	
D447,694	S *	9/2001	Leggett	D9/521

FIG. 1 is a perspective view of a flexible pouch showing our
new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a left elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right elevation view thereof; and,
FIG. 7 is a rear elevation view thereof.
The broken lines in the drawings represent unclaimed envi-
ronmental matter.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,874,466 B2 1/2011 McConville et al.
D667,313 S * 9/2012 Hensen D9/708
D680,880 S 4/2013 Johnson et al.
2012/0181303 A1 7/2012 Swanick

FOREIGN PATENT DOCUMENTS

JP 2000335594 A 12/2000

JP 3935540 B2 6/2007
WO 00/23327 A1 4/2000
WO 03/024822 A1 3/2003
WO 2010/062247 A1 6/2010

OTHER PUBLICATIONS

Machine translation of JP3935540(B2), dated Jun. 27, 2007.

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

