



US00D716667S

(12) **United States Design Patent**
James et al.

(10) **Patent No.:** **US D716,667 S**
(45) **Date of Patent:** **** Nov. 4, 2014**

- (54) **FLEXIBLE POUCH**
- (71) Applicants: **Timothy James**, Brooklyn, NY (US);
Haley A. Lowry, Houston, TX (US); **Jill M. Martin**, Brazoria, TX (US)
- (72) Inventors: **Timothy James**, Brooklyn, NY (US);
Haley A. Lowry, Houston, TX (US); **Jill M. Martin**, Brazoria, TX (US)
- (73) Assignee: **Dow Global Technologies LLC**,
Midland, MI (US)

| | | | | |
|-----------|-----|---------|----------------|---------|
| 6,705,492 | B2 | 3/2004 | Lowry | |
| 6,880,728 | B1 | 4/2005 | Moisio et al. | |
| 6,895,729 | B2 | 5/2005 | Post et al. | |
| 7,261,221 | B2 | 8/2007 | Awbrey et al. | |
| D573,897 | S * | 7/2008 | Berman | D9/708 |
| D587,122 | S * | 2/2009 | Herstol et al. | D9/529 |
| D603,957 | S * | 11/2009 | Sato et al. | D24/118 |
| D609,101 | S * | 2/2010 | Herstol et al. | D9/529 |
| D626,857 | S * | 11/2010 | Spanjaard | D9/631 |
| D631,363 | S * | 1/2011 | Herstol et al. | D9/557 |

(Continued)

(**) Term: **14 Years**

| | | | |
|----|----------|----|--------|
| EP | 0371307 | A1 | 6/1990 |
| JP | H0741010 | A | 2/1995 |

(Continued)

(21) Appl. No.: **29/446,105**

FOREIGN PATENT DOCUMENTS

(22) Filed: **Feb. 20, 2013**

OTHER PUBLICATIONS

(51) **LOC (10) Cl.** **09-05**

Machine translation of JP2000335594, dated Dec. 5, 2000.

(52) **U.S. Cl.**
USPC **D9/709**

(Continued)

(58) **Field of Classification Search**
USPC D9/702-714, 429-432, 447, 720, 414,
D9/434-435, 696, 716, 771, 522, 571-575,
D9/682, 738-747, 516-517, 529-530,
D9/547-549, 569, 537-538, 544, 503-505,
D9/545; 383/6, 9, 22, 96, 61.1, 80-81,
383/104, 901, 63, 203, 107, 119, 120, 123;
D24/118, 207; 222/92, 107, 206;
604/410, 403; 220/495.03, 669, 675;
215/381-385, 12.1; D3/202, 303, 232,
D3/244

Primary Examiner — Caron D Veynar
Assistant Examiner — Abraham Bahta
(74) *Attorney, Agent, or Firm* — Whyte Hirschboeck Dudek
S.C.

See application file for complete search history.

(57) **CLAIM**
The ornamental design for a flexible pouch, as shown and
described.

(56) **References Cited**


DESCRIPTION

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------|---------|
| D243,121 | S * | 1/1977 | Ralston et al. | D24/118 |
| D304,546 | S * | 11/1989 | Cattach | D9/708 |
| 4,969,580 | A | 11/1990 | Mikhail | |
| 4,974,762 | A | 12/1990 | Boretsky et al. | |
| 5,307,955 | A | 5/1994 | Viegas | |
| D360,824 | S * | 8/1995 | Ossendryver | D9/709 |
| 5,579,945 | A | 12/1996 | Ichikawa et al. | |
| D447,694 | S * | 9/2001 | Leggett | D9/521 |

FIG. 1 is a perspective view of a flexible pouch showing our
new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a left elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right elevation view thereof; and,
FIG. 7 is a rear elevation view thereof.
The broken lines in the drawings represent unclaimed envi-
ronmental matter.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,874,466 B2 1/2011 McConville et al.
D667,313 S * 9/2012 Hensen D9/708
D680,880 S 4/2013 Johnson et al.
2012/0181303 A1 7/2012 Swanick

FOREIGN PATENT DOCUMENTS

JP 2000335594 A 12/2000

JP 3935540 B2 6/2007
WO 00/23327 A1 4/2000
WO 03/024822 A1 3/2003
WO 2010/062247 A1 6/2010

OTHER PUBLICATIONS

Machine translation of JP3935540(B2), dated Jun. 27, 2007.

* cited by examiner

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

