



US00D716943S

(12) **United States Design Patent**
Bender et al.

(10) **Patent No.:** **US D716,943 S**
(45) **Date of Patent:** **** Nov. 4, 2014**

(54) **MEDICAL DEVICE**

FOREIGN PATENT DOCUMENTS

(71) Applicants: **Tri-Medics LLC**, Foxboro, MA (US);
Shear Brilliance, LLC, Sherman Oaks,
CA (US)

EP 0 177 252 4/1986

(72) Inventors: **Bradley Bender**, Lincoln, RI (US);
Ronald Rudowsky, Plymouth, MA (US)

OTHER PUBLICATIONS

International Search Report and Written Opinion, dated Apr. 25,
2013, issued in International Application No. PCT/US2013/027274.

(73) Assignees: **Tri-Medics LLC**, Walpole, MA (US);
Shear Brilliance, LLC, Sherman Oaks,
CA (US)

Primary Examiner — Wan Laymon

(74) *Attorney, Agent, or Firm* — Kenyon & Kenyon LLP

(**) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a medical device, as shown and
described.

(21) Appl. No.: **29/466,650**

(22) Filed: **Sep. 10, 2013**

DESCRIPTION

Related U.S. Application Data

(63) Continuation of application No. 29/423,831, filed on
Jun. 5, 2012, now Pat. No. Des. 689,609.

The present application is related to U.S. patent application
Ser. No. 13/489,342, filed on Jun. 5, 2012, each of which is
expressly incorporated herein in its entirety by reference
thereto.

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**

USPC **D24/143**; D24/133

(58) **Field of Classification Search**

USPC D24/143, 133, 146–147, 149, 154;
D28/55; 606/51–52, 167, 174,
606/205–206, 210–211, 151, 175, 166,
606/208; 16/430

See application file for complete search history.

FIG. 1 is a front perspective view of an embodiment of a
medical device in a closed position showing my new design;
FIG. 2 is a left side view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a bottom view thereof;
FIG. 5 is a top view thereof;
FIG. 6 is a front view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a front perspective view of an embodiment of a
medical device in an open position showing my new design;
FIG. 9 is a left side view thereof;
FIG. 10 is a right side view thereof;
FIG. 11 is a bottom view thereof;
FIG. 12 is a top view thereof;
FIG. 13 is a front view thereof; and,
FIG. 14 is a rear view thereof.

The broken line showing of the Figures is for purposes of
illustration and forms no part of the claimed design.



(56) **References Cited**

U.S. PATENT DOCUMENTS

2,652,832	A *	9/1953	Castroviejo	606/147
3,140,715	A *	7/1964	Whitton, Jr. et al.	606/210
3,653,389	A *	4/1972	Shannon	606/210
3,815,609	A	6/1974	Chester	
3,977,410	A	8/1976	Huston et al.	
4,462,404	A	7/1984	Schwarz et al.	

(Continued)

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

4,527,331 A 7/1985 Lasner et al.
4,823,792 A * 4/1989 Dulebohn et al. 606/151
5,002,554 A 3/1991 Korber
5,065,516 A * 11/1991 Dulebohn 606/208
5,135,530 A 8/1992 Lehmer
5,147,368 A 9/1992 Brown
5,269,790 A * 12/1993 Funatsu 606/205
D346,862 S * 5/1994 Koros et al. D24/143

D369,215 S 4/1996 Blake
5,752,960 A 5/1998 Nallakrishnan
6,592,603 B2 7/2003 Lasner
D493,889 S 8/2004 Koo
D589,615 S 3/2009 Doenges et al.
7,497,867 B2 3/2009 Lasner et al.
D689,609 S * 9/2013 Bender et al. D24/143
2005/0209624 A1 9/2005 Vijay
2012/0303049 A1 11/2012 Nakamura
2013/0247333 A1 * 9/2013 Bender et al. 16/430

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14