



US00D717015S

(12) **United States Design Patent**
Han

(10) **Patent No.:** **US D717,015 S**

(45) **Date of Patent:** **** Nov. 4, 2014**

(54) **TRASH RECEPTACLE**

(71) Applicant: **Barenthal North America, Inc.**,
Whippany, NJ (US)

(72) Inventor: **Hongyuan Han**, Pine Brook, NJ (US)

(73) Assignee: **Barenthal North America, Inc.**,
Whippany, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/470,497**

(22) Filed: **Oct. 22, 2013**

(51) **LOC (10) Cl.** **09-09**

(52) **U.S. Cl.**
USPC **D34/9**

(58) **Field of Classification Search**
USPC D34/1-11; 220/908, 908.1, 911, 909,
220/263, 264
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D489,857	S	*	5/2004	Yang et al.	D34/9
D503,502	S	*	3/2005	Lai	D34/9
6,883,676	B2	*	4/2005	Lin	220/263
7,033,039	B2	*	4/2006	Lin	362/154
D525,756	S	*	7/2006	Yang et al.	D34/9
7,121,421	B2	*	10/2006	Yang et al.	220/263
D539,499	S	*	3/2007	Yang et al.	D34/9
D542,001	S	*	5/2007	Yang et al.	D34/9
D545,024	S	*	6/2007	Liao	D34/9
7,225,943	B2	*	6/2007	Yang et al.	220/263
RE39,726	E	*	7/2007	Lin	220/263
D555,319	S	*	11/2007	Lin	D34/9
D586,070	S	*	2/2009	Lin	D34/9
D593,271	S	*	5/2009	Yang et al.	D34/9
7,597,210	B2	*	10/2009	Lin	220/262
D620,219	S	*	7/2010	Lenterman	D34/4
D623,819	S	*	9/2010	Yang et al.	D34/9
D629,579	S	*	12/2010	Lin	D34/9
D632,864	S	*	2/2011	Yang et al.	D34/9
D680,293	S	*	4/2013	Huang	D34/9

D683,922	S	*	6/2013	Huang	D34/9
2007/0235451	A1	*	10/2007	Lin	220/263
2009/0194532	A1	*	8/2009	Yang et al.	220/211

* cited by examiner

Primary Examiner — Cynthia Ramirez

(74) *Attorney, Agent, or Firm* — Preti Flaherty Beliveau & Pachios LLP

(57) **CLAIM**

The ornamental design for a trash receptacle, as shown.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 2 is a right side view of the first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 3 is a rear view of the first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 4 is a left side view of the first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 5 is a top view of the first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 6 is a bottom view of the first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 7 is an upper, front, left perspective view of the first embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 8 is a front view of a second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 9 is a right side view of the second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 10 is a rear view of the second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;




FIG. 11 is a left side view of the second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 12 is a top view of the second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 13 is a bottom view of the second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 14 is an upper, front, left perspective view of the second embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 15 is a front view of a third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 16 is a right side view of the third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 17 is a rear view of the third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 18 is a left side view of the third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 19 is a top view of the third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 20 is a bottom view of the third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 21 is an upper, front, left perspective view of the third embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 22 is a front view of a fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 23 is a right side view of the fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 24 is a rear view of the fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 25 is a left side view of the fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 26 is a top view of the fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 27 is a bottom view of the fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 28 is an upper, front, left perspective view of the fourth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 29 is a front view of a fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 30 is a right side view of the fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 31 is a rear view of the fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 32 is a left side view of the fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 33 is a top view of the fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention;

FIG. 34 is a bottom view of the fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention; and,

FIG. 35 is an upper, front, left perspective view of the fifth embodiment of an ornamental design for a trash receptacle according to the presently disclosed invention.

1 Claim, 30 Drawing Sheets



Fig. 1



Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14



Fig. 15




Fig. 16



Fig. 17




Fig. 18




Fig. 19



Fig. 20




Fig. 21



Fig. 22




Fig. 23




Fig. 24



Fig. 25




Fig. 26




Fig. 27



Fig. 28



Fig. 29




Fig. 30



Fig. 31




Fig. 32




Fig. 33




Fig. 34



Fig. 35