

US00D717194S

(12) **United States Design Patent**
Nishina et al.

(10) **Patent No.:** **US D717,194 S**

(45) **Date of Patent:** **** Nov. 11, 2014**

(54) **FIRE ALARM PANEL**

(71) Applicant: **Nohmi Bosai Ltd.**, Tokyo (JP)

(72) Inventors: **Masaru Nishina**, Tokyo (JP); **Katsuhide Tsubokawa**, Tokyo (JP); **Masahiro Hagita**, Tokyo (JP)

(73) Assignee: **Nohmi Bosai Ltd.**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/440,827**

(22) Filed: **Dec. 27, 2012**

(30) **Foreign Application Priority Data**

Jul. 5, 2012 (JP) 2012-016017
Jul. 5, 2012 (JP) 2012-016018
Jul. 5, 2012 (JP) 2012-016019

(51) **LOC (10) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.95**

(58) **Field of Classification Search**
USPC D10/104.1, 106.1, 106.95; D8/332;
D13/168, 164; 340/524
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D272,435 S * 1/1984 Thornton et al. D13/164
D272,531 S * 2/1984 Thornton et al. D13/164

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1294534 2/2007

OTHER PUBLICATIONS

Japanese examination report dated Jun. 20, 2013, which issued from a foreign counterpart application.

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhart & Flory, LLP

(57) **CLAIM**


The ornamental design for the fire alarm panel, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of a fire alarm panel according to a first embodiment of the present invention;
FIG. 2 is a top plan view of the fire alarm panel of FIG. 1;
FIG. 3 is a bottom plan view of the fire alarm panel of FIG. 1;
FIG. 4 is a left-side elevation view of the fire alarm panel of FIG. 1;
FIG. 5 is a right-side elevation view of the fire alarm panel of FIG. 1;
FIG. 6 is a rear elevation view of the fire alarm panel of FIG. 1;
FIG. 7 is a front elevation view of a fire alarm panel according to a second embodiment of the present invention;
FIG. 8 is a top plan view of the fire alarm panel of FIG. 7;
FIG. 9 is a bottom plan view of the fire alarm panel of FIG. 7;
FIG. 10 is a left-side elevation view of the fire alarm panel of FIG. 7;
FIG. 11 is a right-side elevation view of the fire alarm panel of FIG. 7;
FIG. 12 is a rear elevation view of the fire alarm panel of FIG. 7;
FIG. 13 is a front elevation view of a fire alarm panel according to a third embodiment of the present invention;
FIG. 14 is a top plan view of the fire alarm panel of FIG. 13;
FIG. 15 is a bottom plan view of the fire alarm panel of FIG. 13;
FIG. 16 is a left-side elevation view of the fire alarm panel of FIG. 13;
FIG. 17 is a right-side elevation view of the fire alarm panel of FIG. 13; and,
FIG. 18 is a rear elevation view of the fire alarm panel of FIG. 13.

It is understood that the front of the design is flat and planar, and the markings are understood to be surface indicia. The broken lines showing features of the cabinet are included for the purpose of illustrating the environment of the fire alarm panel and form no part of the claimed design. The broken lines showing the speaker opening are included only for the purpose of illustrating a portion of the fire alarm panel and form no part of the claimed design.

1 Claim, 18 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,403,198 A 4/1995 Koganemaru et al.
6,281,791 B1 * 8/2001 Murao 340/524
D470,786 S 2/2003 Mizukami et al.
D605,964 S 12/2009 Ikehata

D611,863 S 3/2010 Kato
D612,280 S 3/2010 Ikehata
D630,115 S 1/2011 Mizukami
D630,537 S 1/2011 Mizukami
D630,538 S 1/2011 Tokutake

* cited by examiner

FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15



FIG. 16




FIG. 17





FIG. 18



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D717,194 S
APPLICATION NO. : 29/440827
DATED : November 11, 2014
INVENTOR(S) : Masaru Nishina et al.


Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Delete title page and substitute therefore with the attached title page consisting of corrected illustrative figure.

Delete Drawing Sheets 1 of 18, 7 of 18, and 13 of 18 and substitute with the attached Drawing Sheets 1 of 18, 7 of 18, and 13 of 18.

Signed and Sealed this
Eighteenth Day of September, 2018



Andrei Iancu
Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D717,194 S**
Nishina et al. (45) **Date of Patent:** **** Nov. 11, 2014**

(54) **FIRE ALARM PANEL**
 (71) Applicant: **Nohmi Bosai Ltd., Tokyo (JP)**
 (72) Inventors: **Masaru Nishina, Tokyo (JP); Katsuhide Tsubokawa, Tokyo (JP); Masahiro Hagita, Tokyo (JP)**
 (73) Assignee: **Nohmi Bosai Ltd., Tokyo (JP)**
 (**) Term: **14 Years**
 (21) Appl. No.: **29/440,827**
 (22) Filed: **Dec. 27, 2012**
 (30) **Foreign Application Priority Data**
 Jul. 5, 2012 (JP) 2012-016017
 Jul. 5, 2012 (JP) 2012-016018
 Jul. 5, 2012 (JP) 2012-016019
 (51) **LOC (10) CL.** **10-05**
 (52) **U.S. CL.**
 USPC **D10/106.95**
 (58) **Field of Classification Search**
 USPC D10/104.1, 106.1, 106.95; D8/332;
 D13/168, 164; 340/524
 See application file for complete search history.
 (56) **References Cited**
U.S. PATENT DOCUMENTS
 D272,435 S * 1/1984 Thornton et al. D13/164
 D272,531 S * 2/1984 Thornton et al. D13/164
 (Continued)
FOREIGN PATENT DOCUMENTS
 JP D1294534 2/2007
OTHER PUBLICATIONS
 Japanese examination report dated Jun. 20, 2013, which issued from a foreign counterpart application.

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Gardner, Linn, Burkhardt & Flory, LLP

(57) **CLAIM**
 The ornamental design for the fire alarm panel, substantially as shown and described.

DESCRIPTION
 FIG. 1 is a front elevation view of a fire alarm panel according to a first embodiment of the present invention;
 FIG. 2 is a top plan view of the fire alarm panel of FIG. 1;
 FIG. 3 is a bottom plan view of the fire alarm panel of FIG. 1;
 FIG. 4 is a left-side elevation view of the fire alarm panel of FIG. 1;
 FIG. 5 is a right-side elevation view of the fire alarm panel of FIG. 1;
 FIG. 6 is a rear elevation view of the fire alarm panel of FIG. 1;
 FIG. 7 is a front elevation view of a fire alarm panel according to a second embodiment of the present invention;
 FIG. 8 is a top plan view of the fire alarm panel of FIG. 7;
 FIG. 9 is a bottom plan view of the fire alarm panel of FIG. 7;
 FIG. 10 is a left-side elevation view of the fire alarm panel of FIG. 7;
 FIG. 11 is a right-side elevation view of the fire alarm panel of FIG. 7;
 FIG. 12 is a rear elevation view of the fire alarm panel of FIG. 7;
 FIG. 13 is a front elevation view of a fire alarm panel according to a third embodiment of the present invention;
 FIG. 14 is a top plan view of the fire alarm panel of FIG. 13;
 FIG. 15 is a bottom plan view of the fire alarm panel of FIG. 13;
 FIG. 16 is a left-side elevation view of the fire alarm panel of FIG. 13;
 FIG. 17 is a right-side elevation view of the fire alarm panel of FIG. 13; and,
 FIG. 18 is a rear elevation view of the fire alarm panel of FIG. 13.
 It is understood that the front of the design is flat and planar, and the markings are understood to be surface indicia. The broken lines showing features of the cabinet are included for the purpose of illustrating the environment of the fire alarm panel and form no part of the claimed design. The broken lines showing the speaker opening are included only for the purpose of illustrating a portion of the fire alarm panel and form no part of the claimed design.

1 Claim, 18 Drawing Sheets




FIG. 1




FIG. 7




FIG. 13

