



US00D717255S

(12) **United States Design Patent**
Lim et al.

(10) **Patent No.:** **US D717,255 S**
(45) **Date of Patent:** **** Nov. 11, 2014**

- (54) **SEMICONDUCTOR DEVICE**
- (71) Applicant: **Samsung Electro-Mechanics Co., Ltd.**,
Gyunggi-do (KR)
- (72) Inventors: **Jae Hyun Lim**, Gyunggi-do (KR); **Jin Suk Son**, Gyunggi-do (KR); **Jin Su Kim**, Gyunggi-do (KR); **Jong Man Kim**, Gyunggi-do (KR); **Joon Hyung Cho**, Gyunggi-do (KR); **Kee Ju Um**, Gyunggi-do (KR); **Min Gyu Park**, Gyunggi-do (KR); **Kyu Hwan Oh**, Gyunggi-do (KR); **Chang Jae Heo**, Gyunggi-do (KR)
- (73) Assignee: **Samsung Electro-Mechanics Co., Ltd.**,
Suwon, Gyunggi-Do (KR)

3,846,734	A *	11/1974	Pauza et al.	439/70
4,951,124	A *	8/1990	Sawaya	257/692
D357,462	S *	4/1995	Terasawa et al.	D13/182
D394,244	S *	5/1998	Majumdar et al.	D13/182
D396,846	S *	8/1998	Nakayama et al.	D13/182
D396,847	S *	8/1998	Nakayama et al.	D13/182
D401,912	S *	12/1998	Majumdar et al.	D13/182
D418,485	S *	1/2000	Kawafuji et al.	D13/182
D421,969	S *	3/2000	Kawafuji et al.	D13/182
D432,097	S *	10/2000	Song et al.	D13/182
D441,727	S *	5/2001	Sekimoto	D13/182
D448,739	S	10/2001	Iwasaki et al.	
D459,705	S *	7/2002	Yokota et al.	D13/182
D466,485	S *	12/2002	Maehara et al.	D13/182
D470,463	S *	2/2003	Iwasaki et al.	D13/182
D470,824	S *	2/2003	Iwasaki et al.	D13/182
D470,825	S *	2/2003	Iwasaki et al.	D13/182
D472,530	S *	4/2003	Iwasaki et al.	D13/182
D505,399	S *	5/2005	Yoshida et al.	D13/182
D505,400	S *	5/2005	Kawafuji et al.	D13/182
D539,761	S *	4/2007	Takahashi et al.	D13/182

(**) Term: **14 Years**

(21) Appl. No.: **29/450,510**

(22) Filed: **Mar. 18, 2013**

(30) **Foreign Application Priority Data**

Sep. 20, 2012 (KR) 30-2012-0045471

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/182**

(58) **Field of Classification Search**
USPC D13/110, 182, 184; 361/713, 728, 736,
361/760, 761, 775, 679.01, 820; 257/666,
257/668, 678, 684, 690; 324/71.5, 252;
174/250, 253; 438/64, 65, 66
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,602,846	A *	8/1971	Hauser	333/140
3,762,039	A *	10/1973	Douglass et al.	29/827
3,825,876	A *	7/1974	Damon et al.	439/70

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — McDermott Will & Emery LLP


(57) **CLAIM**

The ornamental design for a semiconductor device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a semiconductor device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof, the right side view thereof being a mirror image;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a cross sectional view thereof taken along lines 7-7 of FIG. 2.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D548,202 S *	8/2007	Takahashi et al.	D13/182	D674,760 S *	1/2013	Mochizuki et al.	D13/182
D548,203 S *	8/2007	Takahashi	D13/182	D686,174 S *	7/2013	Soyano	D13/182
D653,633 S *	2/2012	Soyano	D13/182	D703,625 S *	4/2014	Lim et al.	D13/182
D653,634 S *	2/2012	Soyano	D13/182	D705,184 S *	5/2014	Takahashi et al.	D13/182
				D706,232 S *	6/2014	Nakamura	D13/182
				2003/0042584 A1 *	3/2003	Yamaguchi	257/666
				2010/0149774 A1 *	6/2010	Matsumoto et al.	361/783

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7