



US00D717497S

(12) **United States Design Patent**
Westphal

(10) **Patent No.:** **US D717,497 S**

(45) **Date of Patent:** **** Nov. 11, 2014**

(54) **PERFORMANCE HIP PAD**

(71) Applicant: **Rachel Lynn Westphal**, Midland, MI
(US)

(72) Inventor: **Rachel Lynn Westphal**, Midland, MI
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/472,218**

(22) Filed: **Nov. 11, 2013**

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/101.5**

(58) **Field of Classification Search**
CPC A61F 5/01; A41D 13/001; A41D 13/0506;
A41D 13/0537
USPC D29/101.1, 102.1, 101.3, 101.4, 101.5,
D29/120.1, 120.2, 121.1, 121.2, 122;
D2/901; D24/190; 2/16, 20–24, 62,
2/267, 455, 461, 463, 910, 911; 602/3, 5,
602/6, 16, 23, 26, 64; 128/878, 879

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|------|--------|------------------|-------|-----------|
| 2,785,407 | A * | 3/1957 | Reeder | | 2/22 |
| 3,044,075 | A * | 7/1962 | Rawlings | | 2/22 |
| 6,093,468 | A * | 7/2000 | Toms et al. | | 428/67 |
| 6,334,443 | B1 * | 1/2002 | Olsen | | 128/846 |
| 6,347,413 | B1 * | 2/2002 | Sciscente et al. | | 2/465 |
| 6,553,573 | B1 * | 4/2003 | Brown | | 2/24 |
| 7,484,250 | B2 * | 2/2009 | Chiang | | 2/465 |
| 7,503,080 | B2 * | 3/2009 | Link | | 2/463 |
| D632,020 | S * | 2/2011 | Onrot et al. | | D29/120.1 |
| 2012/0174301 | A1 * | 7/2012 | Onrot et al. | | 2/465 |

* cited by examiner

Primary Examiner — Randall Gholson


(57) **CLAIM**

The ornamental design for a performance hip pad, as shown and described.

DESCRIPTION

FIG. 1 is a front side perspective view showing my design for a performance hip pad;
FIG. 2 is a left side view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a front view thereof; and,
FIG. 5 is a back side view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5