



US00D717681S

(12) **United States Design Patent**
Shail et al.

(10) **Patent No.:** **US D717,681 S**
(45) **Date of Patent:** **** Nov. 18, 2014**

(54) **USER INTERFACE OF A CONTROL UNIT**

FOREIGN PATENT DOCUMENTS

(71) Applicant: **Honeywell International Inc.**,
Morristown, NJ (US)

EP 1065079 A2 1/2001
JP 2003054290 A 2/2003

(72) Inventors: **Rajat Shail**, Stevensville, MI (US); **Paul Schwendinger**, North Branch, MN (US)

OTHER PUBLICATIONS
Ambient Devices—Energy Joule, <http://ambientdevices.myshopify.com/products/energy-joule.com>, 1 p., downloaded Dec. 4, 2013.

(73) Assignee: **Honeywell International Inc.**,
Morristown, NJ (US)

(Continued)

(**) Term: **14 Years**

Primary Examiner — Antoine D Davis

(21) Appl. No.: **29/473,563**

(74) *Attorney, Agent, or Firm* — Seager Tufte & Wickhem LLC.

(22) Filed: **Nov. 22, 2013**

(51) **LOC (10) Cl.** **10-04**

(52) **U.S. Cl.**

USPC **D10/103**; D10/49; D10/50

(58) **Field of Classification Search**

CPC F23N 5/20; F23N 5/203; F23N 5/206;
F23N 5/18; F23N 5/184; F23N 5/187; F23N
5/22; F23N 2025/12; F23N 2041/02; F24F
11/00; F24F 11/0012; F24F 11/0009; F24F
11/001; F24F 2011/0057; F24F 2011/0073;
F24F 2011/0091

USPC D10/49–50, 103; D13/162; 55/279,
55/DIG. 7; 62/176.6, 125–130, 78, 180,
62/186; 73/23.2, 23.34, 31.01, 31.02, 431,
73/170.16–170.19, 170.21–170.25,
73/863.12, 29.02, 335.01–335.14;
220/3.2; 236/46 R, 47, 94, 44 C, 44 R,
236/49.3, 44 A, 96, 1 B, 1 C, 1 E, 1 EA, 1 EB,
236/1 F, 1 G, 1 H, 9 R; 337/112, 327, 360;
340/602, 627, 632, 634; 349/56–72;
454/229, 239, 256, 257, 258; 700/18,
700/159, 181, 276, 277, 278

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

687,050 A 11/1901 Mullaney
D136,848 S 12/1943 Dreyfuss

(Continued)

(57) **CLAIM**

The ornamental design for a user interface of a control unit, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a user interface of a control unit in accordance with the present invention;

FIG. 2 is a front view of another user interface of a control unit in accordance with the present invention, having a frosted, reflective, or shiny front surface, with user interface elements of the control unit illuminated and thus visible through the frosted, reflective, or shiny front surface; and,

FIG. 3 is a front view of the user interface of FIG. 2 with user interface elements of the control unit not illuminated.


In FIGS. 1-2, the central circular shape, as well as the arcuate shape above the central circular shape, are display elements of the user interface of the control unit, and the two circular shapes to the left and right of the central circular shape are button elements of the user interface.

In FIGS. 2-3, the shade lines show a frosted, reflective, or shiny front surface, and not surface ornamentation. In FIG. 2, the central circular shape, the arcuate shape above the central circular shape, and the two circular shapes to the left and right of the central circular shape are all in an illuminated state, and thus visible through the frosted, reflective, or shiny surface of FIG. 2.

In FIG. 3, the central circular shape, the arcuate shape above the central circular shape, and the two circular shapes to the left and right of the central circular shape of FIG. 2 are shown not illuminated, and thus not visible through the frosted, reflective, or shiny surface of FIG. 2.

The portions illustrated in broken lines on the figures illustrate environmental structure and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D179,069 S 10/1956 Dreyfuss
 D183,121 S 7/1958 Dreyfuss
 D183,164 S 7/1958 Dreyfuss
 D190,650 S 6/1961 Reading
 D204,622 S 5/1966 Bieger
 4,751,961 A 6/1988 Levine et al.
 D347,584 S * 6/1994 Vogelpohl D10/49
 D377,909 S 2/1997 Smith
 D390,482 S 2/1998 Pasquarette
 D429,653 S 8/2000 Fleischmann
 D445,042 S 7/2001 Arpe
 D471,825 S 3/2003 Peabody
 D491,821 S 6/2004 Ho
 D498,685 S 11/2004 Friedman
 D503,631 S 4/2005 Peabody
 D506,150 S 6/2005 Backlund et al.
 D516,926 S 3/2006 Roher et al.
 D520,884 S 5/2006 Simon
 7,140,551 B2 11/2006 de Pauw et al.
 D603,277 S 11/2009 Clausen et al.
 D607,356 S * 1/2010 Moon et al. D10/85
 D614,977 S 5/2010 Hollnagel et al.
 D660,732 S * 5/2012 Bould et al. D10/50
 8,195,313 B1 * 6/2012 Fadell et al. 700/83
 D677,180 S * 3/2013 Plitkins et al. D10/50
 D687,043 S 7/2013 Matas et al.
 D687,044 S 7/2013 Ruff
 D687,045 S 7/2013 Plitkins et al.
 D687,046 S 7/2013 Plitkins et al.
 D687,047 S 7/2013 Hales, IV et al.
 D687,056 S 7/2013 Matas et al.

D687,057 S 7/2013 Plitkins
 D687,058 S 7/2013 Corcoran et al.
 D687,059 S 7/2013 Bruck et al.
 D687,459 S 8/2013 Sloo et al.
 D687,851 S 8/2013 Sloo et al.
 D690,322 S 9/2013 Matas et al.
 D691,629 S 10/2013 Matas et al.
 8,560,128 B2 * 10/2013 Ruff et al. 700/278
 D700,075 S * 2/2014 Bould et al. D10/49

OTHER PUBLICATIONS

Aqualisa, "Quartz Digital Bath with bath overflow filler," pp. 1-17, downloaded Dec. 5, 2013.
 Energy Devices, "http://ambientdevices.com/about/energy-devices.com." Ambient Products, pp. 1-2, downloaded Dec. 4, 2013.
 Honeywell, "The Digital Round Non-Programmable Thermostats," CT8775A,C, pp. 1-20, 2003.
 Certificate of Registration, Registration No. 001065023, Kohler Mira Limited, pp. 1-4, Oct. 21, 2002.
 Oh Gizmo!, "Noma Programmable Thermostat With Wireless Temperature Monitor," pp. 1-3, downloaded Dec. 5, 2013.
 Slimme Thermostaat, pp. 1-2, downloaded Dec. 5, 2013.
 Programmable Thermostats and Other Green Living Products, "Introducing the new Smart Si thermostat." Ecobee, pp. 1-4, downloaded Dec. 5, 2013.
 Icy, "The Clever Thermostat," http://www.icy.nl/en/consumer/products/clever-thermostat.com, p. 1, Dec. 5, 2013.
 Nest Learning Thermostat, 1 p., downloaded Dec. 5, 2013.
 Introducing the Next Gen Nest, 1 p., downloaded Dec. 5, 2013.
 Slimme Thermostat—Tech Spec. 1 p., downloaded Dec. 5, 2013.

* cited by examiner




Figure 1




Figure 2




Figure 3