



US00D718000S

(12) **United States Design Patent**  
**Westphal**

(10) **Patent No.:** **US D718,000 S**

(45) **Date of Patent:** **\*\* Nov. 18, 2014**

(54) **PERFORMANCE TAILBONE PAD**

(56) **References Cited**

(71) Applicant: **Rachel Lynn Westphal**, Midland, MI  
(US)

U.S. PATENT DOCUMENTS

(72) Inventor: **Rachel Lynn Westphal**, Midland, MI  
(US)

2,785,407	A *	3/1957	Reeder	2/22
3,044,075	A *	7/1962	Rawlings	2/22
5,105,473	A *	4/1992	Valtakari	2/22
6,334,443	B1 *	1/2002	Olsen	128/846
6,347,413	B1 *	2/2002	Sciscente et al.	2/465
7,237,270	B2 *	7/2007	Crye et al.	2/24
7,376,978	B2 *	5/2008	Godshaw	2/24
7,484,250	B2 *	2/2009	Chiang	2/465
D632,020	S *	2/2011	Onrot et al.	D29/120.1
7,891,026	B1 *	2/2011	Smith	2/465
8,272,073	B2 *	9/2012	Arensdorf et al.	2/267
D684,323	S *	6/2013	Macrina et al.	D29/121.2

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/472,222**

\* cited by examiner

(22) Filed: **Nov. 11, 2013**

(51) **LOC (10) Cl.** ..... **29-02**

*Primary Examiner* — Randall Gholson

(52) **U.S. Cl.**  
USPC ..... **D29/101.5**

(57) **CLAIM**

The ornamental design for a performance tailbone pad, as shown and described.

(58) **Field of Classification Search**  
CPC .... A61F 5/01; A41D 13/001; A41D 13/0506;  
A41D 13/0537


**DESCRIPTION**

USPC ..... D29/101.1, 102.1, 101.3, 101.4, 101.5,  
D29/120.1, 120.2, 121.1, 121.2, 122;  
D2/901; D24/190; 2/16, 20–24, 62,  
2/267, 455, 461, 463, 910, 911; 602/3, 5,  
602/6, 16, 23, 26, 64; 128/878, 879

FIG. 1 is a front side perspective view showing my design for a performance tailbone pad;  
FIG. 2 is a left side view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a top view thereof;  
FIG. 5 is a front side view thereof; and,  
FIG. 6 is a back side view thereof.

See application file for complete search history.

**1 Claim, 4 Drawing Sheets**






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6