US00D718117S

# (12) United States Design Patent

Moreau et al.

(10) Patent No.: US D718,117 S
(45) Date of Patent: ** Nov. 25, 2014

(54) **LANYARD ATTACHMENT ASSEMBLY**

(75) Inventors: **Darrell A. Moreau**, Manchester, NH (US); **Andre W. Moreau**, Spring Hill, FL (US)

(73) Assignee: **Ty-Flot, Inc.**, Manchester, NH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/430,069**

(22) Filed: **Aug. 21, 2012**

**Related U.S. Application Data**

(62) Division of application No. 13/545,050, filed on Jul. 10, 2012.

(51) **LOC (10) Cl.** ..... **08-05**

(52) **U.S. Cl.**
USPC ..... **D8/356**

(58) **Field of Classification Search**
USPC ..... D8/356, 354, 349, 383; D11/3; D3/215; 24/115 R
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---|---|---|---|---|
| 4,168,754 | A | 9/1979 | Nyholm | |
| D305,961 | S * | 2/1990 | Cobb | D3/228 |
| 6,241,136 | B1 * | 6/2001 | Harriss | 224/158 |
| 6,527,610 | B1 * | 3/2003 | Hornsby et al. | 446/175 |
| D577,990 | S * | 10/2008 | Andre et al. | D8/395 |
| D631,728 | S * | 2/2011 | Rainey | D8/349 |
| D638,296 | S * | 5/2011 | Levine | D9/455 |
| D662,435 | S * | 6/2012 | Kalbach | D11/3 |
| 2006/0237498 | A1 | 10/2006 | Piatt, Sr. et al. | |
| 2008/0083803 | A1 | 4/2008 | Brantner et al. | |
| 2009/0276979 | A1 | 11/2009 | Kauffman et al. | |
| 2011/0042533 | A1 | 2/2011 | Austin | |

OTHER PUBLICATIONS

PCT Notification of Transmittal of the International Search Report and Written Opinion of the International Searching Authority, PCT/US2013/023477 (May 15, 2013).

* cited by examiner

*Primary Examiner* — Randall Gholson
(74) *Attorney, Agent, or Firm* — Mesmer & Deleault, PLLC

(57) **CLAIM**

We claim the ornamental design for a lanyard attachment assembly, as shown and described.

**DESCRIPTION**

This application claims the benefit of U.S. utility patent application Ser. No. 13/545,050, filed on Jul. 10, 2012 and titled Lanyard Attachment Assembly.

FIG. **1** is a front, perspective view of a lanyard attachment assembly showing our new design with connectors oriented in a first position.

FIG. **2** is a front right side view thereof.

FIG. **3** is a front, perspective view of a lanyard attachment assembly showing our new design with connectors oriented in a second position.

FIG. **4** is a right side view thereof.

FIG. **5** is a rear, perspective view of a lanyard attachment assembly showing our new design with connectors oriented in a first position.

FIG. **6** is a top view of the lanyard attachment assembly of FIG. **5**.

FIG. **7** is bottom view of the lanyard attachment assembly of FIG. **5**.

FIG. **8** is a left side view of the lanyard attachment assembly of FIG. **1**.

FIG. **9** is a front view of the lanyard attachment assembly of FIG. **1**.

FIG. **10** is a rear view of the lanyard attachment assembly of FIG. **1**; and,

FIG. **11** is a front, perspective view of the lanyard attachment assembly of FIG. **1** installed on a tool (not claimed).

The broken lines shown in the drawings show unclaimed subject matter only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**





Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 6



Fig. 7



Fig. 5



Fig. 9



Fig. 10



Fig. 8



Fig. 11