



US00D718184S

(12) **United States Design Patent**
Nealon

(10) **Patent No.:** **US D718,184 S**
(45) **Date of Patent:** **** Nov. 25, 2014**

(54) **BELT BUCKLE**

(71) Applicant: **Christopher T. Nealon**, Saugerties, NY
(US)

(72) Inventor: **Christopher T. Nealon**, Saugerties, NY
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/445,758**

(22) Filed: **Feb. 15, 2013**

(51) **LOC (10) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/202**; D11/231

(58) **Field of Classification Search**
CPC A44B 11/00
USPC D11/1, 2, 200–219, 222–237; 24/163 R,
24/169–171, 173, 177–179, 191, 194–195,
24/197, 200, 614–616, 625; D8/294, 395,
D8/354

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

489,656	A	1/1893	Moores
730,551	A	6/1903	Moores
1,999,168	A	4/1935	Erb
2,268,738	A	1/1942	Chenette
2,495,029	A	1/1950	Spengler
3,440,667	A	4/1969	Dye
4,173,794	A	11/1979	Nichols
7,520,031	B2	4/2009	Dahl
2007/0193003	A1	8/2007	Matussek et al.

FOREIGN PATENT DOCUMENTS

FR 2315027 A2 1/1977

OTHER PUBLICATIONS

International Search Report and Written Opinion of the International Searching Authority Application No. PCT/US2013/025886 Completed: Apr. 2, 2013; Mailing Date: Apr. 18, 2013 9 pages.
Narragansett Leathers Hoof Pick Belt; © 2013; Webpage <http://www.narragansettleathers.com/HoofPickBelt.html>; 3 pages.
Martin Faizey Belt Design; Webpage: <http://global.rakuten.com/en/store/three-eight/item/martin-faizey-mesh-belt-havana/>; 6 pages.
Narragansett Leathers Pelican Hook Belt; Webpage: <http://www.narragansettleathers.com/PelicanHookBelt.html>; © 2013; 3 pages.
Hickoree's Trace Carrier Belt; Webpage: <http://www.hickorees.com/brand/leather-man-ltd/product/trace-carrier-belt-dark-brown>; 1967; 3 pages.

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — St. Onge Steward Johnston & Reens LLC


(57) **CLAIM**

The ornamental design for a belt buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a belt buckle in accordance with the new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right side elevation view thereof;
FIG. 7 is a left side elevation view thereof; and,
FIG. 8 is a front isometric view thereof, shown on a belt strap. The broken lines shown in FIG. 8 are directed to environment and are for illustrative purposes only; the broken lines form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8