



US00D718256S

(12) **United States Design Patent**
Warner et al.

(10) **Patent No.:** **US D718,256 S**

(45) **Date of Patent:** **** Nov. 25, 2014**

(54) **SWITCH MODULE**

(75) Inventors: **Brian M. Warner**, Oxford, NY (US);
Gregory W. Smiley, Greene, NY (US)

(73) Assignee: **The Raymond Corporation**, Greene,
NY (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/417,684**

(22) Filed: **Apr. 6, 2012**

(51) **LOC (10) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/162**

(58) **Field of Classification Search**
USPC D13/162, 164; D8/302; D34/35;
74/448, 484 R, 557; 180/89.12, 89.13,
180/89.17, 332; 187/231, 237, 238;
200/61.85; 280/43.12, 43.17, 43.23
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|------|---------|--------------------|------------|
| 4,287,966 | A | 9/1981 | Frees | |
| 4,347,416 | A | 8/1982 | Ogden | |
| 5,245,144 | A * | 9/1993 | Stammen | 200/61.85 |
| 5,430,266 | A | 7/1995 | Austin, Jr. et al. | |
| D384,478 | S | 9/1997 | Prehn et al. | |
| 5,964,313 | A * | 10/1999 | Guy | 180/332 |
| 6,189,964 | B1 | 2/2001 | Henshaw | |
| 6,226,582 | B1 | 5/2001 | Adsett et al. | |
| D445,553 | S | 7/2001 | Pulskamp et al. | |
| D450,169 | S | 11/2001 | Pulskamp et al. | |
| 6,382,359 | B1 | 5/2002 | Lohmann | |
| 6,400,564 | B1 * | 6/2002 | Nishimoto et al. | 361/679.01 |
| 7,146,701 | B2 | 12/2006 | Mahoney et al. | |
| 7,151,237 | B2 | 12/2006 | Mahoney et al. | |
| 7,314,116 | B2 | 1/2008 | David et al. | |
| D562,525 | S | 2/2008 | Graf | |
| D563,074 | S | 2/2008 | Standke | |
| D564,974 | S * | 3/2008 | Berg et al. | D13/164 |

7,383,915 B2 6/2008 David et al.
7,439,459 B2 * 10/2008 Hyun et al. 200/5 R
D596,145 S * 7/2009 Vasichek et al. D13/177
D596,146 S * 7/2009 Vasichek et al. D13/177

(Continued)

OTHER PUBLICATIONS

The Raymond Corporation, PowerSteer, Released Apr. 9, 2010.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Quarles & Brady LLP


(57) **CLAIM**

The ornamental design for a switch module, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a switch module embodying our new design;
FIG. 2 is a rear isometric view thereof;
FIG. 3 is a right side elevation view thereof;
FIG. 4 is a front elevation view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a rear elevation view thereof;
FIG. 8 is an enlarged front elevation view of the portion thereof circumscribed by arc 8-8 shown in FIG. 4;
FIG. 9 is an enlarged rear elevation view of the portion thereof circumscribed by arc 9-9 shown in FIG. 7;
FIG. 10 is a left side elevation view thereof;
FIG. 11 is an enlarged right side elevation view of the portion thereof circumscribed by arc 11-11 shown in FIG. 3; and,
FIG. 12 is an enlarged left side elevation view of the portion thereof circumscribed by arc 12-12 shown in FIG. 10.
The dash-dash broken line representations in the figures are for the purpose of illustrating unclaimed environment of the claimed design.

1 Claim, 8 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS


D607,852 S * 1/2010 Riede D13/174
7,641,020 B2 1/2010 Lohmann
7,665,555 B2 * 2/2010 Rose et al. 180/19.2
7,789,188 B2 * 9/2010 Standke 180/332
7,793,979 B2 9/2010 Kraimer
8,193,903 B2 6/2012 Kraimer
2001/0027912 A1 * 10/2001 Nakade et al. 200/5 R

2003/0029648 A1 * 2/2003 Trego et al. 180/19.1
2003/0052514 A1 * 3/2003 Schmidt et al. 296/153
2009/0200116 A1 8/2009 Wiggins et al.

OTHER PUBLICATIONS

The Raymond Corporation, Illustrations of P/N 1066671, Available
Jun. of 1997.

* cited by examiner






FIG. 3

FIG. 2

FIG. 4




FIG. 5




FIG. 6





FIG. 7






FIG. 8




FIG. 9




FIG. 11




FIG. 12




FIG. 10