



US00D718473S

(12) **United States Design Patent**
Benarieh et al.

(10) **Patent No.:** **US D718,473 S**

(45) **Date of Patent:** **** Nov. 25, 2014**

(54) **APPARATUS FOR DOCKING AND CHARGING ELECTROPHORESIS DEVICES**

4,830,725 A 5/1989 Berninger et al.
D303,012 S 8/1989 Flesher et al.
D315,951 S 4/1991 Berninger et al.

(71) Applicant: **Life Technologies Corporation**,
Carlsbad, CA (US)

(Continued)

(72) Inventors: **Ronen Benarieh**, Kibotz Givat brener
(IL); **Andres Wainstein**, Tel Aviv (IL);
Gustavo Turkieltaub, Tel Aviv (IL)

OTHER PUBLICATIONS

Google Image Result, for http://4.bp.blogspot.com/_RpYJJVGjpr8/TS3uoFQ8GII/AAAAAAAAAby/pDOgCWRF3dY/s1600/33electrophoresis1_training.jpg. Viewed on Apr. 13, 2012.

(73) Assignee: **Life Technologies Corporation**,
Carlsbad, CA (US)

Primary Examiner — Wan Laymon

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm* — Life Technologies Corporation

(21) Appl. No.: **29/451,750**

(57) **CLAIM**

(22) Filed: **Apr. 8, 2013**

The ornamental design for an apparatus for docking and charging electrophoresis devices, as shown and described.

Related U.S. Application Data

DESCRIPTION

(60) Continuation of application No. 29/427,860, filed on Jul. 23, 2012, now Pat. No. Des. 681,232, which is a division of application No. 29/399,857, filed on Aug. 19, 2011, now Pat. No. Des. 666,305.

(51) **LOC (10) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/232**

(58) **Field of Classification Search**
USPC D24/232-233; 439/509, 911;
204/450-451, 456, 466, 554, 600, 606,
204/608, 616, 628, 603, 620

See application file for complete search history.

FIG. 1 is a front and side perspective view of an apparatus for docking and charging electrophoresis devices according to our design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a front and side perspective view of an apparatus for docking and charging electrophoresis devices according to a second embodiment;

FIG. 8 is a front view thereof;

FIG. 9 is a back view thereof;

FIG. 10 is a right side view thereof;

FIG. 11 is a left side view thereof; and,

FIG. 12 is a top view thereof.



A new ornamental design for an apparatus for docking and charging electrophoresis devices for performing electrophoresis of nucleic acids, and visualization, imaging and/or analysis thereof, at locations where there may not be direct electrical power supply.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,421,998 A 1/1969 Yallen
D229,143 S 11/1973 Holmes et al.
3,819,505 A 6/1974 Parent et al.
3,856,656 A 12/1974 Brink
4,194,963 A 3/1980 Denckla
D266,150 S 9/1982 Borsos
4,416,761 A 11/1983 Brown et al.
D282,352 S 1/1986 Hofer et al.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D315,952 S 4/1991 Berninger et al.
 5,106,472 A * 4/1992 Guadagno 204/466
 5,242,568 A 9/1993 Ehr et al.
 5,384,022 A 1/1995 Rajasekaram
 5,449,446 A * 9/1995 Verma et al. 204/620
 5,507,390 A 4/1996 Vila
 6,379,631 B1 4/2002 Wu
 D511,386 S 11/2005 Emerson
 D516,733 S 3/2006 Pedraza et al.

D524,449 S 7/2006 Emerson
 D524,948 S 7/2006 Pedraza et al.
 D563,562 S 3/2008 Cosselmon et al.
 D571,480 S * 6/2008 Beck et al. D24/232
 7,399,395 B2 7/2008 Schnelle et al.
 7,578,917 B2 8/2009 Zimmermann
 D666,305 S 8/2012 Benarieh et al.
 D681,232 S * 4/2013 Benarieh et al. D24/232
 8,562,802 B1 * 10/2013 Beaudet et al. 204/466
 2003/0211023 A1 11/2003 Wu et al.
 2009/0308749 A1 12/2009 Park
 2012/0024707 A1 * 2/2012 Ohura et al. 204/603

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12