



US00D718578S

(12) **United States Design Patent**
Sabounjian

(10) **Patent No.:** **US D718,578 S**

(45) **Date of Patent:** **** *Dec. 2, 2014**

(54) **STAND HAVING AN INTERNAL TRAY**

(71) Applicant: **Pro-Mart Industries, Inc.**, Irvine, CA
(US)

(72) Inventor: **Azad Sabounjian**, Irvine, CA (US)

(73) Assignee: **Pro-Mart Industries, Inc.**, Irvine, CA
(US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/447,109**

(22) Filed: **Feb. 28, 2013**

(51) **LOC (10) Cl.** **07-06**

(52) **U.S. Cl.**
USPC **D7/600.1**

(58) **Field of Classification Search**
USPC D7/600.1–600.4, 590, 701–708;
D3/206, 304, 306; D19/78, 77, 75, 83,
D19/92; 211/10, 11, 13.1, 181.1, 85.31,
211/126.13, 136.9, 136.15, 136.13,
211/69.1–69.9; 220/485, 494, 586, 587;
206/214, 224, 561, 557, 371, 565;
312/330.1, 334.44, 410, 334.27, 334.1,
312/323, 408; D6/573, 574, 512, 705,
D6/705.1–705.7, 706, 654, 691.9, 470, 663

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|-----------|-------|----------|
| D176,591 S * | 1/1956 | Brown | | D6/470 |
| D433,711 S * | 11/2000 | Andujar | | D19/78 |
| D525,488 S * | 7/2006 | McWhorter | | D7/590 |
| D628,444 S | 12/2010 | Snider | | |
| D628,445 S * | 12/2010 | Snider | | D7/600.1 |
| D644,491 S | 9/2011 | Snider | | |
| D661,951 S * | 6/2012 | Tiemann | | D7/600.1 |
| D665,230 S * | 8/2012 | Snider | | D7/600.1 |
| D674,213 S * | 1/2013 | Hertaus | | D6/663 |
| D676,715 S | 2/2013 | Tsai | | |
| D679,954 S | 4/2013 | Snider | | |
| D680,380 S | 4/2013 | Tiemann | | |

* cited by examiner

Primary Examiner — Terry Wallace

(74) *Attorney, Agent, or Firm* — Stetina Brunda Garred & Brucker; Lowell Anderson



(57) **CLAIM**

The ornamental design for a stand having an internal tray, as shown and described.

DESCRIPTION

FIG. 1 is a top elevation view of the stand having a tray inside the stand;
FIG. 2 is a top elevation view of the stand of FIG. 1 with the tray open on a first side of the stand;
FIG. 3 is a top elevation view of the stand of FIG. 1 with the tray open on a second side of the stand;
FIG. 4 is a front plan view of the stand of FIG. 1;
FIG. 5 is a right side plan view of the stand of FIG. 1;
FIG. 6 is a back plan view of the stand of FIG. 1;
FIG. 7 is a left side plan view of the stand of FIG. 1;
FIG. 8 is a bottom plan view of the stand of FIG. 1;
FIG. 9 is a bottom plan view of FIG. 2; and,
FIG. 10 is a bottom plan view of FIG. 3.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10