



US00D718897S

(12) **United States Design Patent**
Randolph

(10) **Patent No.:** **US D718,897 S**
(45) **Date of Patent:** **** Dec. 2, 2014**

(54) **MULTI-POINT TO SINGLE-POINT OPTIC FOR A LIGHTING FIXTURE**

(71) Applicant: **Cree, Inc.**, Durham, NC (US)

(72) Inventor: **David N. Randolph**, Rougemont, NC (US)

(73) Assignee: **Cree, Inc.**, Durham, NC (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,882**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/154**

(58) **Field of Classification Search**

CPC .. G02B 6/0001; G02B 6/0003; G02B 6/0013; G02B 6/0018; G02B 6/003; G02B 6/0045; G02B 6/005; G02B 6/0068; G02B 6/0075; F21S 8/00; F21S 8/02; F21S 8/03; F21S 8/033; F21S 8/037; F21S 8/06; F21S 8/08; F21V 21/002; F21V 21/02; F21V 21/03; F21V 21/04; F21V 21/14
USPC D26/2, 6, 7, 8, 16, 17, 19, 29, 32, 35, D26/36, 39, 46, 49, 51, 62, 67, 69, 70, 71, D26/72, 73, 74, 80, 81, 85, 88, 89, 113, 118, D26/119, 128, 131, 138, 139, 140, 142, 150, D26/151, 153, 155, 156; 362/147, 148, 153, 362/153.1, 183, 186, 300, 301, 307, 310, 362/347, 348, 349, 350, 362, 364, 365, 366, 362/382, 431, 432

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D341,000 S * 11/1993 Kramer D26/131
6,414,801 B1 * 7/2002 Roller 362/240

(Continued)

OTHER PUBLICATIONS

Non-Final Office Action for U.S. Appl. No. 13/837,200, mailed Sep. 18, 2014, 10 pages.

Primary Examiner — Deanna L. Pratt

Assistant Examiner — Natasha Vujcic

(74) *Attorney, Agent, or Firm* — Withrow & Terranova, P.L.L.C.

(57) **CLAIM**

The ornamental design for a multi-point to single-point optic for a light fixture, as shown and described.

DESCRIPTION

FIG. 1 is a top isometric view of an optic according to a first embodiment of the design;

FIG. 2 is a bottom isometric view of the optic of FIG. 11;

FIG. 3 is a top view of the optic of FIG. 11;

FIG. 4 is a bottom view of the optic of FIG. 11;

FIG. 5 is a front view of the optic of FIG. 11, notably the back view of the optic is an identical or mirror image of the front view;

FIG. 6 is a right side view of the optic of FIG. 11, notably the left side view of the optic is an identical or mirror image of the right side view;

FIG. 7 is a top isometric view of an optic according to a second embodiment of the design;

FIG. 8 is a bottom isometric view of the optic of FIG. 7;

FIG. 9 is a top view of the optic of FIG. 7;


FIG. 10 is a bottom view of the optic of FIG. 7;

FIG. 11 is a front view of the optic of FIG. 7 notably the back view of the optic is an identical or mirror image of the front view; and,

FIG. 12 is a right side view of the optic of FIG. 7, notably the left side view of the lighting fixture is an identical or mirror image of the right side view.

The broken lines in the drawings illustrate portions of the multi-point to single-point optic for a light fixture which form no part of the claimed design.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D636,929 S * 4/2011 Kong et al. D26/138
D643,966 S * 8/2011 Postelmans D26/88
D679,033 S * 3/2013 Dungan et al. D26/2
D696,436 S * 12/2013 Pickard et al. D26/2

2006/0061989 A1 3/2006 Holder et al.
2007/0159093 A1 7/2007 Yuki et al.
2008/0174996 A1 7/2008 Lu et al.
2009/0310345 A1 12/2009 Holder et al.
2011/0182065 A1* 7/2011 Negley et al. 362/382

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12