



US00D719085S

(12) **United States Design Patent**
Aoyagi et al.

(10) **Patent No.:** **US D719,085 S**
(45) **Date of Patent:** **** Dec. 9, 2014**

(54) **BATTERY FOR AN ELECTRONIC DEVICE**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Shota Aoyagi**, San Francisco, CA (US);
Richard Hung Minh Dinh, San Jose,
CA (US); **Richard P. Howarth**, San
Francisco, CA (US); **Daniel W. Jarvis**,
Sunnyvale, CA (US); **Shayan Malek**,
San Jose, CA (US); **Gregory Stephens**,
Sunnyvale, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/466,512**

(22) Filed: **Sep. 9, 2013**

(51) **LOC (10) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102–104, 110, 118–121, 184, 199;
429/96–100, 163, 176
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,326,651	A	7/1994	Mehta et al.	
D477,275	S *	7/2003	Wada	D13/103
D485,530	S	1/2004	Ogasawara	
D519,919	S	5/2006	Yokota	
D532,363	S *	11/2006	Morisawa	D13/103
D535,249	S *	1/2007	Ogasawara	D13/103

D538,225	S *	3/2007	Lyman et al.	D13/119
7,595,129	B2	9/2009	Kato	
D625,263	S *	10/2010	Takuma	D13/119
D637,157	S *	5/2011	Andre et al.	D13/119
D637,193	S	5/2011	Andre et al.	
D653,611	S *	2/2012	Lee et al.	D13/102
D658,583	S *	5/2012	Andre et al.	D13/119
8,309,245	B2 *	11/2012	Coish et al.	429/100
D672,713	S *	12/2012	Masui	D13/103
D677,620	S *	3/2013	Corbin et al.	D13/103
D684,531	S *	6/2013	Moon et al.	D13/103
D685,731	S *	7/2013	Brown et al.	D13/103
D689,018	S *	9/2013	Honda et al.	D13/103
D692,823	S *	11/2013	Tanaka	D13/103
D697,479	S *	1/2014	Andre et al.	D13/119
D708,128	S *	7/2014	Andre et al.	D13/103

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein
& Fox P.L.L.C.


(57) **CLAIM**

The ornamental design for a battery for an electronic device,
as shown and described.

DESCRIPTION

FIG. 1 is a bottom front perspective view of a battery for an
electronic device showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a top view thereof;
FIG. 5 is a bottom view thereof;
FIG. 6 is a left view thereof; and,
FIG. 7 is a right view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7