



US00D719288S

(12) **United States Design Patent**
Sorensen et al.

(10) **Patent No.:** **US D719,288 S**

(45) **Date of Patent:** **** Dec. 9, 2014**

(54) **TWO ADJACENT SIDES OF A HEADLESS POLE LIGHT WITH SLOT-SHAPED APERTURES**

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton, LLP

(71) Applicant: **ABL IP Holding LLC**, Conyers, GA (US)

(57) **CLAIM**

The ornamental design for two adjacent sides of a headless pole light with slot-shaped apertures, as shown and described.

(72) Inventors: **Christopher J. Sorensen**, Denver, CO (US); **Carl T. Gould**, Golden, CO (US); **Peter K. Nelson**, Denver, CO (US); **Kevin Franklin Leadford**, Evergreen, CO (US); **Christopher D. Slaughter**, Denver, CO (US)

DESCRIPTION

(73) Assignee: **ABL IP Holding LLC**, Conyers, GA (US)

FIG. 1 is a perspective view of two adjacent sides of a headless pole light with slot-shaped apertures, showing my/our new design.

(**) Term: **14 Years**

FIG. 2 is a front elevation view of one of the two adjacent sides shown in FIG. 1, the elevation view of the other of the two adjacent sides being the same.

(21) Appl. No.: **29/480,608**

FIG. 3 is a perspective view of a second embodiment of my/our design for two adjacent sides of a headless pole light with slot-shaped apertures. The front elevation view of the right adjacent side of this embodiment is the same as FIG. 2.

(22) Filed: **Jan. 28, 2014**

(51) **LOC (10) Cl.** **26-05**

(52) **U.S. Cl.**
USPC **D26/68**

(58) **Field of Classification Search**
USPC D26/67-70, 85; D25/126; 362/145, 362/152, 153, 153.1, 431
See application file for complete search history.

FIG. 4 is a perspective view of a third embodiment of my/our design for two adjacent sides of a headless pole light with slot-shaped apertures.

FIG. 5 is a front elevation view of one of the two adjacent sides shown in FIG. 4, the other of the two adjacent sides being the same; and,

(56) **References Cited**

U.S. PATENT DOCUMENTS

D60,735 S *	3/1922	Rogers	D26/68
D85,688 S *	12/1931	De Vos	D26/68
D118,615 S *	1/1940	Chapman	D20/17
D209,416 S *	11/1967	Smith	D26/68
D234,809 S *	4/1975	Delin	D26/67
D236,151 S *	7/1975	Friedberg	D26/68
D360,048 S *	7/1995	Messina, Jr.	D26/67
D361,150 S *	8/1995	Messina, Jr.	D26/67
D362,737 S *	9/1995	Messina, Jr.	D26/67


(Continued)

FIG. 6 is a perspective view of a fourth embodiment of my/our design for two adjacent sides of a headless pole light with slot-shaped apertures. The front elevation view of the right adjacent side of this embodiment is the same as FIG. 5.

Portions or features of the two adjacent sides of the headless pole light with slot-shaped apertures not shown in the drawings form no part of the claimed design. The fragmented broken lines indicate that the bounds of the claim do not include a specific length to the planar surfaces that comprise the two adjacent sides of a headless pole light. The other broken lines show environmental structure. None of the broken lines in the drawings form any part of the claimed design.

Primary Examiner — Clare E Heflin

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,479,322	A	*	12/1995	Kacheria	362/581		
D372,320	S	*	7/1996	Brady	D26/68		
D382,910	S	*	8/1997	Greenfield	D20/17		
D388,900	S	*	1/1998	Metcheur, III	D26/68		
D393,089	S	*	3/1998	Metcheur, III	D26/68		
6,457,847	B1	*	10/2002	LeVasseur	362/351		
D529,217	S	*	9/2006	Wood	D26/67		
D530,442	S	*	10/2006	Wen	D26/68		
D541,461	S	*	4/2007	Flaherty	D26/67		
D592,783	S	*	5/2009	Flaherty et al.	D26/68		
D598,152	S	*	8/2009	Tortel	D26/68		
D640,407	S	*	6/2011	Chen	D26/67		
D678,578	S	*	3/2013	Wauters	D26/68		
D679,436	S	*	4/2013	Gismondi	D26/68		
D696,796	S		12/2013	Macura et al.				
D696,805	S		12/2013	Duquette et al.				

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6