



US00D719303S

(12) **United States Design Patent**
Anderson

(10) **Patent No.:** **US D719,303 S**

(45) **Date of Patent:** **** Dec. 9, 2014**

(54) **MULTI-LOOP RESCUE STRAP**

(76) Inventor: **Timothy E Anderson**, Philadelphia, PA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/426,929**

(22) Filed: **Jul. 11, 2012**

(51) **LOC (10) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/124**

(58) **Field of Classification Search**

CPC A62B 35/00; A62B 35/0006; A62B
35/0037; A62B 35/0043; A62B 35/0075
USPC D29/100, 101, 122, 124; D2/830, 860,
D2/626, 622; 2/457, 463, 466-467, 48, 51,
2/92, 103, 914, 915; 182/3, 137, 138,
182/140; 128/869, 846, 873-875; 224/158,
224/159, 160

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,396,091	A *	8/1983	Anderson	182/3
4,962,929	A *	10/1990	Melton, Jr.	473/516
D367,142	S *	2/1996	Platt	D34/27
6,050,869	A *	4/2000	Kellett	441/83
6,065,790	A *	5/2000	Oswald	294/74
6,205,584	B1 *	3/2001	Yocco	2/69
D539,489	S *	3/2007	Scott	D30/153
7,818,818	B2 *	10/2010	Grilliot et al.	2/94
7,963,365	B2 *	6/2011	Grilliot et al.	182/3

8,002,082	B2 *	8/2011	Snedeker	182/3
8,016,335	B2 *	9/2011	McKay	294/152
D653,002	S *	1/2012	Hull	D30/153
2009/0095232	A1	4/2009	McKay		

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Thomas H. Walls; Dann, Dorfman, Herrell and Skillman, P.C.

(57) **CLAIM**

The ornamental design for a multi-loop rescue strap, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the multi-loop rescue strap; the rear perspective view is a mirror image of the front view;

FIG. 2 is a top perspective view of the multi-loop rescue strap; FIG. 3 is a bottom perspective view of the multi-loop rescue strap;

FIG. 4 is a left side perspective view of the multi-loop rescue strap; the right side perspective view is a mirror image of the left side view;


FIG. 5 is a front perspective view of a second embodiment of the multi-loop rescue strap showing the addition of an integrated anchor ring; the rear perspective view is a mirror image of the front view;

FIG. 6 is a top perspective view of a second embodiment of the multi-loop rescue strap, based on FIG. 5;

FIG. 7 is a bottom perspective view of a second embodiment of the multi-loop rescue strap, based on FIG. 5; and,

FIG. 8 is a left side perspective view of a second embodiment of the multi-loop rescue strap, based on FIG. 5; the right side perspective view is a mirror image of the left side view.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8