



US00D719439S

(12) **United States Design Patent**
Nelson et al.

(10) **Patent No.:** **US D719,439 S**

(45) **Date of Patent:** **** Dec. 16, 2014**

(54) **BALLOON NECK-SEALING DEVICE**

(75) Inventors: **David C. Nelson**, Akron, OH (US);
Wesley A. Schroeder, Seville, OH (US)

(73) Assignee: **Premium Balloon Accessories, Inc.**,
Sharon Center, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/412,261**

(22) Filed: **Feb. 1, 2012**

(51) **LOC (10) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/394**

(58) **Field of Classification Search**
USPC D8/354, 356, 371, 394-396, 360.1;
D19/65, 86; D24/128; 248/74.2, 215,
248/227.1, 49, 300, 301, 316.7, 51, 489;
24/570, 3.12; D32/61; D11/78.1
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,204,117	A *	6/1940	Brammer	474/241
2,981,990	A *	5/1961	Balderree, Jr.	24/30.5 R
D218,959	S *	10/1970	Hess	D8/358
D359,229	S *	6/1995	Jules	D8/395
D372,188	S *	7/1996	Van Dyke	D8/358
D388,315	S *	12/1997	Friedman	D8/360.1
D461,115	S *	8/2002	Vassioukevitch	D8/360.1
D505,616	S *	5/2005	Wingerter et al.	D8/383
D522,849	S *	6/2006	Dick et al.	D8/395
D536,746	S *	2/2007	Murray	D21/453
7,249,991	B1	7/2007	Watson	

D576,867	S *	9/2008	Kretz	D8/356
D587,989	S *	3/2009	Johansson	D8/356
D604,589	S *	11/2009	Johansson	D8/356

(Continued)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Renner Kenner Greive
Bobak Taylor & Weber



(57) **CLAIM**

The ornamental design for balloon neck-sealing device, as shown and described.

DESCRIPTION

FIG. 1 a front perspective view of a first embodiment of a balloon neck-sealing device of this invention;
 FIG. 2 is a rear perspective view of the first embodiment;
 FIG. 3 is a front elevational view of the first embodiment;
 FIG. 4 is a rear elevational view of the first embodiment;
 FIG. 5 is a top plan view of the first embodiment;
 FIG. 6 is a bottom plan view of the first embodiment;
 FIG. 7 is a right-side elevational view of the first embodiment;
 FIG. 8 is a left-side elevational view of the first embodiment;
 FIG. 9 is a rear perspective view of a second embodiment of a balloon neck-sealing device of this invention;
 FIG. 10 is a front elevational view of the second embodiment;
 FIG. 11 is a rear elevational view of the second embodiment;
 FIG. 12 is a top plan view of the second embodiment;
 FIG. 13 is a bottom plan view of the second embodiment;
 FIG. 14 is a right-side elevational view of the second embodiment; and,
 FIG. 15 is a left-side elevational view of the second embodiment.
 The broken lines showing of aperture, slot and rib portions is for the purpose of illustrating portions of the balloon neck-sealing device and forms no part of the claimed design.

1 Claim, 11 Drawing Sheets



US D719,439 S

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

D635,446 S * 4/2011 Baca et al. D8/356
D667,719 S * 9/2012 Wong D8/356
D676,021 S * 2/2013 Stevinson D14/205

D680,851 S * 4/2013 Lo D8/356
D689,303 S * 9/2013 Davison D6/580
2013/0193355 A1* 8/2013 Nelson et al. 251/7

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13



FIG. 14



FIG. 15